

VR-505/506/507/ 509/510/517 SERVICE MANUAL

KENWOOD

© 2001-2/B51-5700-00 (K/K) 1380




Illustration is VR-509.

*** Refer to parts list on page 36 .**




VR-505/506/507/509/510/517

CONTENTS / ACCESSORIES / CAUTIONS

Contents

CONTENTS / ACCESSORIES / CAUTIONS	2	EXPLODED VIEW	35
CIRCUIT DESCRIPTION	3	PARTS LIST	36
WIRING DIAGRAM	8	PARTS DESCRIPTIONS	46
PC BOARD	9	SPECIFICATIONS	47
SCHEMATIC DIAGRAM	15		

Accessories



Remote Controller vs Parts Number

Model	Remote Controller	Parts #	Battery Cover Parts #
VR-505	RC-R0511	A70-1468-15	A09-1178-08
VR-506	RC-R0615	A70-1466-15	A09-1178-08
VR-507	RC-R0720	A70-1505-05	A09-1218-08
VR-509	RC-R0811	A70-1485-05	A09-1166-08
VR-510	RC-R0812	A70-1484-05	A09-1166-08
VR-517	RC-R0617	A70-1507-05	A09-1178-08

Cautions

Resetting the Microcomputer

The microcomputer may malfunction (unit cannot be operated, or shows an erroneous display) if the power cord is unplugged while the power is ON, or due to some other external factor. If this happens, execute the following procedure to reset the microcomputer and return the unit to its normal operating condition.

- Please note that resetting the microcomputer will clear the contents of the memory and returns the unit to the state it was in when it left the factory.

Unplug the power cord from the wall outlet, then plug it back in while holding down the STANDBY key.

Memory back up function

Please note that the following items will be deleted from the unit's memory if the power cord is disconnected from the AC outlet for approximately 2 days.

- Power mode.
- Input selector settings.
- Device preset.
- Picture output.
- Speaker ON/OFF
- Volume level.
- BASS, TREBLE, INPUT level.
- Subwoofer ON/OFF.
- Dimmer level.
- Monitor ON/OFF.
- MD/TAPE settings.
- 6ch/2ch input setting.
- Listen mode setting.
- Speaker settings.
- Input mode setting.
- Midnight mode setting.
- Broadcast band.
- Frequency setting.
- Preset stations.
- Tuning mode.
- Source Direct.
- RF Band.(VR-509/510)
- THX.(VR-510)
- SW RE-MIX.(VR-510)
- CINEMA EQ.(VR-505/506/507/509/517)

CIRCUIT DESCRIPTION

1. Initial and Backup Function

1-1 Initial State

Below are set value if the microcomputer is initialized when reset:

(1) AMP function initialization

• POWER	POWER OFF (STANDBY)
• Input Selector	TUNER
• Preset device	None
• Visual output	VIDEO1
• Speaker A relay	ON
• Speaker B relay	OFF
• Volume	-66dB
• BASS	0dB
• TREBLE	0dB
• INPUT LEVEL	0dB
• SOURCE DIRECT	0dB
• MONITOR	0dB
• VIDEO2/MONITOR	VIDEO2
• MD/TAPE	TAPE
• RF BAND	BAND 1

(2) SURROUND function initialization

• LISTEN MODE	STEREO
• INPUT MODE	
CD/DVD	DIGITAL AUTO
VIDEO2	ANALOG
VIDEO3	ANALOG
DVD/6ch	DIGITAL AUTO
• SUBWOOFER	ON

• FRONT speaker size	LARGE
• CENTER speaker size	NORMAL
• SURROUND speaker size	NORMAL
• DISTANCE	Fch 3.0m / 10ft
Cch	3.0m / 10ft
Sch	1.5m / 5ft
• LEFT level	0dB
• RIGHT level	0dB
• CENTER level	0dB
• REAR (SL,SR) level	0dB
• SUBWOOFER level	0dB
• MIDNIGHT	OFF
• CINEMA EQ	OFF

(3) TUNER function initialization

• BAND	FM
• PRESET CHANNEL	" - - "
• Frequency receive	Each destination minimum value
K1/K2	FM : 87.50 MHz
	AM : 530 kHz
E1	FM : 87.50 MHz
	AM : 531 kHz
• AUTO MANUAL	AUTO

1-2 Backup Function

When the AC power supply is turned off, the receiver micro-computer enters the backup mode. As a result, it will return to the last state before the AC OFF when the AC power supply is turned ON again


2. Destination List of Tuner

0 : Pull down, 1: Pull up

SET TYPE	TYPE	BAND	RECEIVING FREQUENCY RANGE	CHANNEL SPACE	IF	PLL	Tuner Destination Port			
							PORT3(68PIN) (CP205)	PORT2(67PIN) (W109)	PORT1(66PIN) (W105)	PORT0(65PIN) (W106)
K, P, R	K1 1700	FM	87.5MHz-108.0MHz	100kHz	+10.7MHz	25kHz	0	0	0	0
		AM	530kHz-1700kHz	10kHz	+450kHz	10kHz				
Y, M, I, C, V	K2 1610	FM	87.5MHz-108.0MHz	100kHz	+10.7MHz	25kHz	0	0	0	1
		AM	530kHz-1610kHz	10kHz	+450kHz	10kHz				
Y	K3 1610 RBDS	FM	87.5MHz-108.0MHz	100kHz	+10.7MHz	25kHz	0	0	1	0
		AM	530kHz-1610kHz	10kHz	+450kHz	10kHz				
K, P	K4 1700 RBDS	FM	87.5MHz-108.0MHz	100kHz	+10.7MHz	25kHz	1	0	1	0
		AM	530kHz-1700kHz	10kHz	+450kHz	10kHz				
Y, M, I, C, V, E, X, H	E1	FM	87.5MHz-108.0MHz	50kHz	+10.7MHz	25kHz	0	0	1	1
		AM	531kHz-1602kHz	9kHz	+450kHz	9kHz				
T	E2 LW	FM	87.5MHz-108.0MHz	50kHz	+10.7MHz	25kHz	0	1	0	0
		MW	531kHz-1602kHz	9kHz	+450kHz	9kHz				
		LW	153kHz-279kHz	9kHz	+450kHz	9kHz				
E, T	E3 RDS	FM	87.5MHz-108.0MHz	50kHz	+10.7MHz	25kHz	0	1	0	1
		AM	531kHz-1602kHz	9kHz	+450kHz	9kHz				
T	E4 LW RDS	FM	87.5MHz-108.0MHz	50kHz	+10.7MHz	25kHz	0	1	1	0
		MW	531kHz-1602kHz	9kHz	+450kHz	9kHz				
		LW	153kHz-279kHz	9kHz	+450kHz	9kHz				
Q	Q1 RDS	FM L	65.0MHz-74.0MHz	10kHz	+10.7MHz	5kHz	1	0	1	1
		FM H	87.5MHz-108.0MHz	50kHz	+10.7MHz	5kHz				
		AM	531kHz-1602kHz	9kHz	+450kHz	9kHz				
Q	Q2 RDS	FM L	65.0MHz-74.0MHz	10kHz	+10.7MHz	5kHz	1	1	0	0
		FM H	87.5MHz-108.0MHz	50kHz	+10.7MHz	5kHz				
		MW	531kHz-1602kHz	9kHz	+450kHz	9kHz				
		LW	153kHz-279kHz	9kHz	+450kHz	9kHz				
Y, M, I, C, V	M	K2/E1 are decided by Tuner Destination Port 1 input. (0=K2 type 1=E1 type)					0	0	X	1
Y	Y RBDS	K3/E1 are decided by Tuner Destination Port 0 input. (0=K3 type 1=E1 type)					0	0	1	X

CIRCUIT DESCRIPTION

3. Microprocessor: MN101C49GLE or MN101C49GLD(X14,IC200)
3-1 Microprocessor Periphery block diagram



CIRCUIT DESCRIPTION

3-2 Pin Description of Microprocessor

Pin No.	Pin Name	I/O	Description
1	VREF	-	Connected to ground.
2	TH SENS	I	Protection signal detection port for thermal sensor.
3	PROT1	I	Protection signal detection port for over current.
4	PROT2	I	Protection signal detection port for over voltage.
5	S LEVEL	-	Detection port of RDS signal level.
6	KEY GET	I	A/D key input for band and standby.
7	CE2	I	Detection port of chip enable 2 for microprocessor.
8	CE1	I	Detection port of chip enable 1 for microprocessor.
9	DIG DET	I	Detection port of digital signal for DTS.
10	VREF	-	A/D reference voltage.
11	VDD	-	Power supply(+5v) for microprocessor.
12	OSC2	O	Main clock output(8.38MHz).
13	OSC1	I	Main clock input(8.38MHz).
14	VSS	-	Connected to ground.
15	XI	-	Connected to ground.
16	XO	-	Unused.
17	MMCD	-	Connected to ground.
18	DIR/CODEC DIN	O	Data output to DIR/CODEC.
19	DIR/CODEC DOUT	I	Data input port from DIR/CODEC.
20	DIR/CODEC CLK	O	Clock output to DIR/CODEC.
21	DSP DIN	O	Data output port to DSP.
22	DSP DOUT	I	Data input port from DSP.
23	DSP CLK	O	Clock output port to DSP.
24	DSP CE1	O	Chip enable 1 output to DSP.
25	DSP CE2	O	Chip enable 2 output to DSP.
26	REM I	I	Remote control signal input 1(Front panel).
27	REM 0	I	Remote control signal input 1(Rear panel).
28	DIR ERR	I	Detection port for DIR ERROR signal.
29	RDS CLK	I	Clock input of RDS demodulator IC.
30	DPS IRQ1	I	Detection port 1for DSP INTREQ.
31	DPS IRQ2	I	Detection port 2 for DSP INTREQ.
32	NC	-	Unused.
33	RESET	I	Reset signal input for microprocessor.
34	DSP PD1	O	PD output port 1for DSP.
35	DSP PD2	O	PD output port 2 for DSP.
36	DIR PD	O	Power down mode port for DIR.
37	CODEC PD	O	Power down mode port for CDDEC.
38	CODEC CLIP	I	Overflow detection port for CODEC analog signal.
39	CODEC CE	O	Chip select for CODEC.
40	RDS DIN	I	Data input of RDS demodulator IC.
41	NC	-	Unused.
42	FL DIN	O	Data output to FL driver.
43	FL DOUT	I	Data input from FL driver.
44	FL CLK	O	Clock output to FL driver.
45	FL CE	O	CE output to FL driver.

VR-505/506/507/509/510/517

CIRCUIT DESCRIPTION

Pin No.	Pin Name	I/O	Description
46	TUNER DIN	O	Data output to PLL IC.
47	TUNER CLK	O	Clock output to PLL IC.
48	TUNER CE	O	Chip enable output to PLL IC.
49	TUNER DOUT	I	Data input from PLL IC.
50	TUNER MUTE	O	Mute signal output to PLL IC.
51	TUNER STEREO	I	Stereo signal input from PLL IC.
52	TUNER SD	I	SD signal input from PLL IC.
53	RFRCV CE	O	Chip select output to RF remote control receiving IC.
54	RFRCV DIN	O	Data output to RF remote control receiving IC.
55	RFRCV CLK	O	Clock output to RF remote control receiving IC.
56	S BUSY	I/O	Serial busy signal input/output.
57	S DATA	I/O	Serial data signal input/output.
58	LIMITER	O	Power control for A class.
59	IR SW	O	Switching port of remote control signal.
60	DIR AUTO	I	Non PCM detect port.
61~63	MODEL T0~T3	I	Discrimination port for model type.
64	CH SPACE	I	Discrimination port for channel space.
65~68	TUNER DO~D3	I	Discrimination port(D0~D3) for tuner destination.
69	MULTI CW	I	Encoder (Multi control) upward detection.
70	MULTI CCW	I	Encoder (Multi control) downward detection.
71	SEL CW	I	Encoder (Selector) clockwise detection.
72	SEL CCW	I	Encoder (Selector) counterclockwise detection.
73	VOL. CW	I	Encoder (Vol.) clockwise detection.
74	VOL. CCW	I	Encoder (Vol.) counterclockwise detection.
75	SP. A RLY	O	Relay control for A speaker.
76	CNT/SUB W RELAY	O	Relay control for center and sub speakers.
77	SP. B RLY	O	Relay control for B speaker.
78	SUB W	-	Unused.
79	SURR. RLY	O	Relay control for surround speaker.
80	PWR RLY	O	Control port of power relay.
81	PACK CONT.	O	Power pack control.
82	STANDBY RLY	O	Standby relay control.
83	SURR. MUTE	I	Mute control for surround.
84	20dB ATT.	O	20dB attenuator control.
85	A. MUTE	O	Audio mute control.
86	COMP 1	O	Video component switch control.
87	SEL DIN	O	Data output to selector IC(X08,IC12/14).
88~91	V. CTL A~D	O	Video switch control.
92	SEL. DIN	O	Data output to selector IC(X07,IC8/11).
93	SEL. CLK	O	Clock output to selector IC(X07,IC8/11).
94	SEL. ST1	O	Strobe 1 output to selector IC(X07,IC8).
95	DAVSS	-	Connected to ground.
96	SEL. ST 2	O	Strobe 2 output to selector IC(X07,IC11).
97	VOL. CE	O	Chip enable output to vol. IC (X08,IC15).
98	VOL. CLK	O	Clock output to vol. IC (X08,IC15).
99	V. MUTE	O	Mute control to video selector IC (X14,IC401/402).
100	DAVDD	-	+5V power supply.

VR-505/506/507/509/510/517

CIRCUIT DESCRIPTION

4. AK4112AVF u-com interface port

Pin Name	Pin No.	I/O	Function
PD	7	I	Power Down Mode Pin When "L", the AK4112AVF is power down and reset.
AUTO	5	O	Non PCM Detect Pin "L":No detect, "H":Detect
FS96	17	O	96kHz Sampling Detect Pin "H":fs=88.2kHz or more, "L":fs=54kHz or less.
ERF	18	O	Unlock & Parity Error Output Pin "L":No Error, "H":Error
CSN	25	I	Chip Select pin in Serial Mode
CCLK	26	I	Control Data Clock Pin in Serial Mode
CDTI	27	I	Control Data Input Pin in Serial Mode
CDTO	28	O	Control Data Output Pin in Serial

5. AK4527B u-com interface port

Pin Name	Pin No.	I/O	Function
PDN	17	I	Power Down & Reset Pin
OVF	33	O	Analog Overflow Detect Pin
CSN	41	I	Chip Select Pin
CCLK	42	I	Control Data Clock Pin
CDTI	43	I	Control Data Input Pin

6. Test Mode

6-1 Entering the Test Mode

- While pressing the "BAND" key, plug the power cord into AC wall outlet.

6-2 Cancelling the Test Mode

- Initialized and cancel the test mode if pulling out the power code.

6-3 Contents of the Test Mode

6-3-1 Pch CALL UP/DOWN

Key	Function
DIMMER	Pch CALL UP →01→02→03·····39→40→
INPUT MODE	Pch CALL DOWN ←01←02←03·····39←40←

6-3-2 10 Steps Switching of P ch Call

Key	Function
SET UP	Preset Operation

6-3-3 TUNER mute on/off

Key	Function
LISTEN MODE	TUNER mute on/off

6-3-4 Key Operation


- The following operation is available during the all FL lighting up mode only.(only VR-507/509/510)

Operation Keys	Display	Function
SOUND	Normal Indication	RF receiving frequency is made 422MHz for VR-509/510 and 418MHz for VR-507.
LISTEN MODE	FRONT IR	FRONT IR is enabled and remote control is disabled.
SOURCE DIRECT	RF BAND 2	RF receiving frequency is made 428MHz for VR-509/510.

VR-505/506/507/509/510/517




PC BOARD(Component side view)




X05-5150-11 (J70-1391-22)

X08-3060-10 (J70-1459-32)




Refer to the schematic diagram for the value of resistors and capacitors.



X35-2250-10 (J70-1468-02)

PC BOARD(Component side view)




Note: There is a different from X07-3290, X07-3300,X07-3310 on PCB layout.


Refer to the schematic diagram for the value of resistors and capacitors.

PC BOARD(Component side view)

X14-7250-10 A/8 (J70-1469-11)




X14 H/8




X14 B/8

X14 C/8


X14 D/8




X14 E/8



Refer to the schematic diagram for the value of resistors and capacitors.




(X07-3XXX-XX) (A/4)



--- DIGITAL LINE
--- SIGNAL LINE
--- GND LINE
--- +B LINE
--- -B LINE

- IC1 : *
IC2 : *
IC3,4 : STK413-020A
IC5 : KIA7812API
IC6 : KIA7912PI
IC7 : NJM4580L-D
IC8,11 : NJU7313AL
IC9,10 : NJM4565D
IC12 : BA05T
Q1-6 : 2SC2878(B)
Q201,208 : 2SB1640
Q202,205,211-214,301-306 : 2SC1845(F,E)
Q203 : 2SA1535A
Q206,209,210,311 : 2SA992(F,E)
Q207 : 2SC3944A
Q215 : 2SC1740S(Q,R) or 2SC2785(F,E)
Q307-310 : UN4219
D1,2 : TS6P03G-B or D5BA20F03
D3 : D2SBA20F03
D4 : MTZJ16(B) or RD16ES(B)
D5-9 : MTZJ15(B) or RD15ES(B)
D10-17,21,24-28,32-34,37 : 1SS133 or HSS104A
D18 : *
D19 : *
D20 : *
D22,23,31 : MTZJ3.9(B) or RD3.9ES(B)
D35 : S1ZB20 (4101)
D36 : RB721Q



(X07-) (A/3)

VR-510 (X07-3290-10)

DESTINATION		UNIT No.	(A)(C)(D)(E)(F)(G)		(B)(E)	C119, 120	C142, 144,146	C201,202	C203,204	R81,82, 117,118,147	R132,150, 152,222,330	R254	R315, 316,319	D15	D18	D19	D20	J4	J5	J6,9, 10	J8	Q6	W13,88, 198,201	IC1	IC2	IC3,4	L6	T1
COUNTRY	ABB.																											
U.S.A.	K	0-10	YES		NO	YES	NO	C90-3945-05	C90-3946-05	1.2K	NO	YES	9.1K	NO	MTZJ8.2(B) RD8.2ES(B)	MTZJ15(B) RD16ES(B)	MTZJ20(B) RD20ES(B)	E70-0049-05	YES	NO	E03-0148-05	NO	NO	STK412-040T STK412-040N	STK413-040T	NO	NO	L07-2809-05
CANADA	P																											

VR-509 (X07-3XXX-XX)

DESTINATION		UNIT No.	(A)(C)(D)(E)(F)(G)		(B)(E)	C119, 120	C142, 144,146	C201,202	C203,204	R81,82, 117,118,147	R132, 254,330	R150, 152,222	R315, 316,319	D15	D18	D19	D20	J4	J5	J6,9, 10	J8	Q6	W198, 201	W13, 88	IC1	IC2	IC3,4	L6	T1
COUNTRY	ABB.																												
U.S.A.	K	290-11	YES		NO	YES	NO	C90-3982-05	C90-3983-05	1.1K	YES	NO	10K	NO	MTZJ8.2(B) RD8.2ES(B)	MTZJ16(B) RD16ES(B)	MTZJ18(B) RD18ES(B)	E70-0049-05	YES	NO	E03-0148-05	YES	NO	YES	STK412-020N	STK413-020N	NO	NO	L07-2809-05
CANADA	P	380-10																											

VR-506 (X07-3XXX-XX)

DESTINATION		UNIT No.	(A)(E)(F)(G)		(B)(C)(D)	C119, 120	C142, 144,146	C201,202	C203,204	R81,82, 117,118,147	R132, 330	R150,152, 222,254	R315, 316,319	D15	D18	D19	D20	J4	J5	J6,9, 10	J8	Q6	W198, 201	W13, 88	IC1	IC2	IC3,4	L6	T1
COUNTRY	ABB.																												
U.S.A.	K	300-11	YES		NO	YES	NO	C90-3982-05	C90-3983-05	1.1K	YES	NO	10K	NO	MTZJ8.2(B) RD8.2ES(B)	MTZJ16(B) RD16ES(B)	MTZJ18(B) RD18ES(B)	E70-0049-05	YES	NO	E03-0148-05	YES	NO	YES	STK412-020N	STK413-020N	NO	NO	L07-2758-05
CANADA	P	380-12																											

VR-507 (X07-3XXX-XX)

DESTINATION		UNIT No.	(A)(C)(D)(E)(F)(G)		(B)	C119, 120	C142, 144,146	C201,202	C203,204	R81,82, 117,118,147	R132, 330	R150,152, 222,254	R315, 316,319	D15	D18	D19	D20	J4	J5	J6,9, 10	J8	Q6	W198, 201	W13, 88	IC1	IC2	IC3,4	L6	T1
COUNTRY	ABB.																												
U.S.A.	K	300-10	YES		NO	YES	NO	C90-3982-05	C90-3983-05	1.1K	YES	NO	10K	NO	MTZJ8.2(B) RD8.2ES(B)	MTZJ16(B) RD16ES(B)	MTZJ18(B) RD18ES(B)	E70-0049-05	YES	NO	E03-0148-05	YES	NO	YES	STK412-020N	STK413-020N	NO	NO	L07-2809-05
CANADA	P	380-11																											

VR-505 (X07-33XX-XX)

DESTINATION		UNIT No.	(A)(B)(C)(G)		(D)(E)(F)	C119, 120	C142, 144,146	C201,202	C203,204	R81,82, 117,118,147	R132, 330	R150,152, 222,254	R315, 316,319	D15	D18	D19	D20	J4	J5,6	J8	J9,10	Q6	W13,88, 198,201	IC1	IC2	IC3,4	L6	T1
COUNTRY	ABB.																											
U.S.A.	K	310-10	NO		YES	YES	NO	C90-3982-05	C90-3983-05	1.1K	YES	NO	10K	NO	MTZJ8.2(B) RD8.2ES(B)	MTZJ16(B) RD16ES(B)	MTZJ18(B) RD18ES(B)	E70-0122-05	NO	E03-0316-05	YES	YES	YES	STK412-020N	STK413-020N	NO	NO	L07-2761-05
CANADA	P	380-13																										


VR-517 (X07-333X-XX)

DESTINATION		UNIT No.	(A)(C)(D)(E)(F)		(B)(G)	C119, 120	C142, 144,146	C201,202	C203,204	R81,82,117, 118,147	R132,150, 152,222,330	R254	R315, 316,319	D15	D18	D19	D20	J4	J5,9, 10	J6	J8	Q6	W13, 88	W198, 201	IC1	IC2	IC3,4	L6	T1
COUNTRY	ABB.																												
U.S.A.	K	30-10 80-14	NO		YES	NO	YES	C90-3982-05	C90-3983-05	1.1K	YES	NO	10K	YES	MTZJ6.8(B) RD6.8ES(B)	MTZJ15(B) RD16ES(B)	MTZJ13(B) RD13ES(B)	E70-0122-05	NO	YES	E03-0148-05	YES	NO	YES	NO	NO	STK413-020A	YES	L07-2761-05


CAUTION: For continued safety, replace safety critical components only with manufacturer's recommended parts (refer to parts list). ⚠ indicates safety critical components. For continued protection against risk of fire, replace only with same type and rating fuse(s). To reduce the risk of electric shock, leakage-current or resistance measurements shall be carried out (exposed parts are acceptably insulated from the supply circuit) before the appliance is returned to the customer.

The DC voltage is an actual reading measured with a high impedance type voltmeter with no signal input. The measurement value may vary depending on the measuring instruments used or on the product.


2SA1534A 2SC3940A
2SA992
2SC1845
2SC2878




2SA1175
2SC2785




DTC124ESA
2SC1740S




2SA1576A
2SB1218A
2SD1819A




DAN202U




DAP202U



MA142WA
MA142WK
UN5212



1SS301



2SB1132




2SA1535A
2SC3944A




2SD1664




UN4212
UN4219




TC74HCT7007AF




NJM2279M



NJU7311AM




KIA7912PI




2SB1375




2SC4081




DTA124EUA
DTC124EUA




KTA1273



UPC1687G





VR-505 (X08-30XX-XX)

DESTINATION	UNIT No.	A	B	C	D	E	F	A2 A3	C36,37,111,112,141,211, 212,251-256,311,654,655	C151,152, 155-157	R35-38, 251-264,501-503	R141-146, 532-536	IC14	J2	CP92	CN2	P1
COUNTRY	ABB.																
U.S.A.	K	60-10						NO	NO			YES	NO	NO	NO	NO	NO
CANADA	P	70-10							NO	4.7u50	NO		NO	NO	NO	NO	NO

VR-506 (X08-30XX-XX)

DESTINATION	UNIT No.	A	B	C	D	E	F	A2 A3	C36,37,111,112, 211,212,311,654,655	C141, 251-256	C151,152, 155-157	R35-38, 141-146,501-503	R251-264, 532-536	IC14	J2	CP92	CN2	P1
COUNTRY	ABB.																	
U.S.A.	K	60-11						NO	NO	YES		NO	YES	YES	YES	NO	NO	NO
CANADA	P	70-11							NO		4.7u50		YES	YES	YES	NO	NO	NO

VR-507 (X08-30XX-XX)

DESTINATION	UNIT No.	A	B	C	D	E	F	A2 A3	C36,111,112,141, 211,212,311,251-256	C151,152, 155-157	C37, 654,655	R35,36,251-264, 532-536	R37,38, 141-146,501-503	IC14	J2	CP92	CN2	P1
COUNTRY	ABB.																	
U.S.A.	K	60-12						YES	NO	YES		NO	NO	YES	YES	NO	NO	NO
CANADA	P	70-12							YES		NO	YES	NO	YES	YES	NO	NO	NO

VR-517 (X08-30XX-XX)

DESTINATION	UNIT No.	A	B	C	D	E	F	A2 A3	C36,37,111,112, 211,212,311,654,655	C141, 251-256	C151,152, 155-157	R35-38, 141-146,501-503	R251-264, 532-536	IC14	J2	CP92	CN2	P1
COUNTRY	ABB.																	
U.S.A.	K	60-11						NO	NO	YES		NO	YES	YES	NO	NO	NO	NO
		70-11									4.7u50			YES	YES	NO	NO	NO

VR-509 (X08-30XX-XX)

DESTINATION	UNIT No.	A	B	C	D	E	F	A2 A3	C36,37,111,112,141, 212,251-256,311,654,655	C151,152, 155-157	C654, 655	R35-38, 251-264,532-536	R141-146, 501-503	IC14	J2	CP92	CN2	P1
COUNTRY	ABB.																	
U.S.A.	K	60-13						YES	YES			YES	NO	YES	YES	NO	NO	NO
CANADA	P	70-13							YES	4.7u50	NO	YES		YES	YES	NO	NO	NO


VR-510 (X08-3060-14)																		
DESTINATION		UNIT No.	A	B	C	D	E	F	A2 A3	C36,37,111,112,141,211, 212,251-256,311,654,655	C151,152, 155-157	R35-38, 251-264,501-503	R141-146, 532-536	IC14	J2	CP92	CN2	P1
COUNTRY	ABB.																	
U.S.A.	K	0-14							YES	YES	4.7u100	YES	NO	YES	YES	YES	YES	YES
CANADA	P																	

IC1,11,13,21,31,70,80,90	Q1,49,50	: UN5212 or DTC124EUA	D1,3	: 1SS301 or DAN202U or MA142WK
IC2	Q15	: NJM4565M or 2SD1664(Q,R)	D2	: 1SS300 or DAP202U or MA142WA
IC4	Q16	: AK4527B-VQ	D6,47	: MA111
IC5	Q41	: TC7WU04FU	D41	: D2SBA20F03
IC6	Q42	: 2SC4081(R,S) or 2SD1819A(Q,R)	D42,43	: UDZ5.6B or HZU5.6 (B2)
IC12,14	Q47,48	: 2SA1576A(R,S) or 2SB1218A(Q,R)	D44,45	: UDZ3.9B or HZU3.9 (B2)
IC15	Q65,66	: M62446FP	D46,67	: UDZ5.1B or HZU5.1 (B2)
IC41		: TC74HC07AF	D151,152	: UDZ7.5B or HZU7.5 (B2)
IC42		: TC74HCT7007AF		
IC45		: BAO5T		
IC46		: BA033LBSG		
IC47,48		: XC62EP2502MR		
IC51		: CS493263-CLR		
IC61		: CS493302-CLR		

--- DIGITAL LINE
— SIGNAL LINE
— GND LINE
— +B LINE
— -B LINE

CAUTION: For continued safety, replace safety critical components only with manufacturer's recommended parts (refer to parts list). ⚠ indicates safety critical components. For continued protection against risk of fire, replace only with same type and rating fuse(s). To reduce the risk of electric shock, leakage-current or resistance measurements shall be carried out (exposed parts are acceptably insulated from the supply circuit) before the appliance is returned to the customer.

The DC voltage is an actual reading measured with a high impedance type voltmeter with no signal input. The measurement value may vary depending on the measuring instruments used or on the product.







CHANNEL FREQUENCY (MHz)			
CHANNEL	1	2	3
OSC FREQUENCY	417.3	414.3	411.3


VT VOLTAGE			
CHANNEL	1	2	3
VT VOLTAGE	2.40 ± 0.5	2.35 ± 0.5	2.30 ± 0.5

- (X35-22XX-XX)
- IC1,2,11-13 : NJM2279D
IC3 : TC74HC4052AP or NJU4052BD
IC21 : BA05T
IC22 : TC74HC00AP
- Q51 : 2SD2525
Q52 : 2SB1640
Q101,202 : UN4212 or DTC124ESA
Q201,203 : KTC3199 (Y,GR) or 2SC2785 (F,E) or 2SC1740S (Q,R)
Q204 : KTA1267 (Y,GR) or 2SA1175 (F,E) or 2SA933AS (Q,R)
- D51,52 : MTZJ5.6 or MTZJ5.6 (B) or HZS5.6N (B2) or RD5.6ES (B) or RD5.6ES (B2)
D101-103,201,202,223,224 : 1SS133 or 1SS104A or HSS104


--- DIGITAL LINE
--- SIGNAL LINE
--- GND LINE
--- +B LINE
--- -B LINE







(X14-7XXX-XX) (B/8)



VR-505 (X14-7XXX-XX)

DESTINATION	UNIT	(A)	(E)	(F)	(H)	(I)	(J)	(K)	(L)	CN3,201	J403,404	IC200	IC202,403	Q401	D5,6	R6,7,28,30,223,224,248,421-425	R32,33,212	C15,16,205,206	S16	S17,18	W29,99,100,140,161,189,191,238	W31,107,190
COUNTRY	ABB.																					
U.S.A.	K	250-10								NO	NO	NO	NO	NO	NO	NO	YES	NO	NO	NO	NO	YES
CANADA	P	310-10								NO	NO	NO	NO	NO	NO	NO	YES	NO	NO	NO	NO	YES

VR-506 (X14-7XXX-XX)

DESTINATION	UNIT	(A)	(I)	(L)	(E)	(F)	(H)	(J)	(K)	CN3,201	J403,404	IC200	IC202	IC403	Q401	D5,6	R6,7,28,30,223,224,248,423	R32,33,212,223,224,421,422,424,425	C15,16,205,206	S16	S17,18	W31,107,161,189,191,238	W29,99,100,140,190,191,238
COUNTRY	ABB.																						
U.S.A.	K	250-11	YES							YES	YES	YES	YES	NO	YES	NO	NO	YES	NO	YES	NO	YES	NO
CANADA	P	310-11								YES	YES	YES	YES	NO	YES	NO	NO	YES	NO	YES	NO	YES	YES

VR-507 (X14-7XXX-XX)

DESTINATION	UNIT	(A)	(H)	(I)	(O)	(E)	(F)	(R)	(L)	CN3,201	J403,404	IC200	IC202,403	Q401	D5,6	R6,7,28,30,212,223,224,423	R32,33,248,421,422,424,425	C15,16,205,206	S16	S17,18	W31,100,107,161,189,190,238	W29,99,140,191
COUNTRY	ABB.																					
U.S.A.	K	310-12	YES							YES	NO	YES	YES	NO	YES	YES	NO	YES	YES	NO	NO	YES
CANADA	P	260-10								YES	NO	YES	YES	NO	YES	YES	NO	YES	YES	NO	NO	YES

VR-517 (X14-7XXX-XX)

DESTINATION	UNIT	(A)	(I)	(L)	(E)	(F)	(H)	(J)	(K)	CN3,201	J403,404	IC200	IC202	IC403	Q401	D5,6	R6,7,28,30,223,224,248,423	R32,33,212,223,224,421,422,424,425	C15,16,219	S16	S17,18	W31,99,161,189,190,191,238	W29,100,140,190,191,238
COUNTRY	ABB.																						
U.S.A.	K	310-14	YES							YES	YES	YES	YES	NO	YES	NO	NO	YES	NO	YES	NO	YES	NO
CANADA	P	250-12								YES	YES	YES	YES	NO	YES	NO	NO	YES	NO	YES	NO	YES	YES

VR-509 (X14-7XXX-XX)

DESTINATION	UNIT	(A)	(J)	(E)	(F)	(H)	(I)	(K)	(L)	CN3,201	J403,404	IC200	IC202	IC403	Q401	D5,6	R6,7,28,30,223,224,248	R32,33,212,421-425	C15,16,205,206	S16	S17,18	W29,100,161,189,190,191,238	W31,99,107,140,190,191,238
COUNTRY	ABB.																						
U.S.A.	K	310-13	YES							YES	NO	YES	YES	NO	YES	YES	YES	NO	YES	YES	NO	YES	NO
CANADA	P	260-11								YES	NO	YES	YES	NO	YES	YES	YES	NO	YES	YES	NO	YES	YES

VR-510 (X14-7260-12)

DESTINATION	UNIT	(A)	(E)	(F)	(J)	(K)	(H)	(I)	(L)	CN3,201	J403,404	IC200	IC202	IC403	Q401	D5,6	R6,7,28,30,223,224,248	R32,33,212,421-425	C15,16,205,206	S16	S17,18	W29,100,161,189,190,191,238	W31,99,100,107,140,190,191,238
COUNTRY	ABB.																						
U.S.A.	K	0-12	YES							YES	NO	YES	YES	NO	YES	YES	YES	NO	YES	YES	NO	YES	NO
CANADA	P									YES	NO	YES	YES	NO	YES	YES	YES	NO	YES	YES	NO	YES	YES

	11G	10G	9G	8G	7G	6G	5G	4G	3G	2G	1G
P1	SP	L	a	a	a	a	a	a	a	a	FM
P2	[A]	C	i	i	i	i	i	i	i	i	AM
P3	[B]	R	h	h	h	h	h	h	h	h	MHz
P4	TI.VOL	SL	k	k	k	k	k	k	k	k	kHz
P5	[CLIP]	S	b	b	b	b	b	b	b	b	[AUTO]
P6	-	SR	f	f	f	f	f	f	f	f	[MEMO]
P7	-	LFE	g	g	g	g	g	g	g	g	[ST]
P8	MUTE	SW	m	m	m	m	m	m	m	m	[TUNED]
P9	RDS	[L]	c	c	c	c	c	c	c	c	[AUDIO SOUND]
P10	EON	[C]	e	e	e	e	e	e	e	e	PRO LOGIC
P11	PTY	[R]	r	r	r	r	r	r	r	r	3
P12	TP	[SL]	n	n	n	n	n	n	n	n	STEREO
P13	TA	[S]	p	p	p	p	p	p	p	p	DOWNMIX
P14	NEWS	[SR]	d	d	d	d	d	d	d	d	DIGITAL
P15	-	-	-	-	-	-	-	-	-	-	S.DIRECT
P16	-	-	-	-	-	-	-	-	-	-	MONITOR
P17	-	-	-	-	-	-	-	-	-	-	DSP

CAUTION: For continued safety, replace safety critical components only with manufacturer's recommended parts (refer to parts list). Δ indicates safety critical components. For continued protection against risk of fire, replace only with same type and rating fuse(s). To reduce the risk of electric shock, leakage-current or resistance measurements shall be carried out (exposed parts are acceptably insulated from the supply circuit) before the appliance is returned to the customer.


The DC voltage is an actual reading measured with a high impedance type voltmeter with no signal input. The measurement value may vary depending on the measuring instruments used or on the product.

VR-505/506/507/509/510/517

KENWOOD

EXPLODED VIEW (UNIT)

VR-505/506/507/509/510/517



* New Parts
Parts without **Parts No.** are not supplied.
Les articles non mentionnés dans le **Parts No.** ne sont pas fournis.
Teile ohne **Parts No.** werden nicht geliefert.

①

Ref. No	Add-ress	New Parts	Parts No.	Description	Desti-nation	Re-marks
VR-505/506/507/509/510/517						
601	1A	*	A01-3793-01	METALLIC CABINET	0	
601	1A	*	A01-3795-01	METALLIC CABINET	56719	
602	1A	*	A09-1166-08	BATTERY COVER	90	
602	1A	*	A09-1178-08	BATTERY COVER	561	
602	1A	*	A09-1218-08	BATTERY COVER	7	
604	2A	*	A22-1851-01	SUB PANEL	0	
605	2A	*	A60-1928-01	PANEL	9	
605	2A	*	A60-1931-01	PANEL	67	
605	2A	*	A60-1932-01	PANEL	5	
605	2A	*	A60-1935-01	PANEL	1	
605	2A	*	A60-1936-02	PANEL	0	
606	1A	*	A70-1466-15	REMOTE CONTROLLER ASSY	6	
606	1A	*	A70-1468-15	REMOTE CONTROLLER ASSY	5	
606	1A	*	A70-1484-05	REMOTE CONTROLLER ASSY	0	
606	1A	*	A70-1485-05	REMOTE CONTROLLER ASSY	9	
606	1A	*	A70-1505-05	REMOTE CONTROLLER ASSY	7	
606	1A	*	A70-1507-05	REMOTE CONTROLLER ASSY	1	
610	2A	*	B07-2550-02	ESCUTCHEON	561	
610	2A	*	B07-2554-02	ESCUTCHEON	79	
611	2A	*	B10-3644-12	FRONT GLASS	0	
611	2A	*	B10-3648-12	FRONT GLASS	9	
611	2A	*	B10-3649-12	FRONT GLASS	7	
611	2A	*	B10-3654-02	FRONT GLASS	6	
611	2A	*	B10-3657-02	FRONT GLASS	5	
611	2A	*	B10-3677-02	FRONT GLASS	1	
612	2A	*	B12-0341-04	INDICATOR	0	
613	2B	*	B12-0383-04	INDICATOR	790	
613	2B	*	B12-0384-04	INDICATOR	561	
614	2B	*	B12-0385-04	INDICATOR	56719	
615	2B	*	B43-0314-04	KENWOOD BADGE		
-			B46-0330-03	WARRANTY CARD	K	
-			B46-0347-03	WARRANTY CARD	P	
-			B46-0352-00	QUESTIONNAIRE CARD	K9K0	
-			B58-0964-13	CAUTION CARD (UL)	K	
-			B58-0967-03	CAUTION CARD (PL)	P	
-		*	B58-1674-03	CAUTION CARD (P1,PRA,A4,1)	K	
-		*	B60-4942-00	INSTRUCTION MANUAL(EN)	5671	
-		*	B60-4943-00	INSTRUCTION MANUAL(FR)	P5P6P7	
-		*	B60-4954-00	INSTRUCTION MANUAL(FR)	P9	
-		*	B60-4955-00	INSTRUCTION MANUAL(EN)	9	
-		*	B60-4956-00	INSTRUCTION MANUAL(FR)	P0	
-		*	B60-4957-00	INSTRUCTION MANUAL(EN)	0	
△ 620	1C	*	E30-2941-05	AC POWER CORD		
621	2B	*	E35-2774-15	FLAT CABLE 21P	67190	
622	2B	*	E35-2775-15	FLAT CABLE 7P		
623	2B,1C	*	E35-2776-05	FLAT CABLE 29P		
624	1B,1C	*	E35-2777-05	FLAT CABLE 23P		
625	1B,2B	*	E35-2841-05	FLAT CABLE 19P	90	
626	1B	*	E35-2873-05	FLAT CABLE 7P		
-		*	H10-7763-02	POLYSTYRENE FOAMED FIXTURE		
-		*	H10-7764-02	POLYSTYRENE FOAMED FIXTURE		
-		*	H12-3503-04	PACKING FIXTURE		

L : Scandinavia K : USA P : Canada R : Mexico C : China I : Malaysia
Y : PX(Far East,Hawaii) T : England E : Europe G : Germany V : China(Shanghai)
Y : AAFES(Europe) X : Australia Q : Russia H : Korea M : Other Areas △ indicates safety critical components .

* New Parts
Parts without **Parts No.** are not supplied.
Les articles non mentionnés dans le **Parts No.** ne sont pas fournis.
Teile ohne **Parts No.** werden nicht geliefert.

②

Ref. No	Add-ress	New Parts	Parts No.	Description	Desti-nation	Re-marks
-			H25-0232-04	PROTECTION BAG (235X350X0.03)		
-			H25-0391-04	PROTECTION BAG		
-		*	H50-4099-04	ITEM CARTON CASE	0	
-		*	H50-4100-04	ITEM CARTON CASE	9	
-		*	H50-4101-04	ITEM CARTON CASE	7	
-		*	H50-4102-04	ITEM CARTON CASE	6	
-		*	H50-4103-04	ITEM CARTON CASE	5	
-		*	H50-4104-04	ITEM CARTON CASE	1	
640	2C		J02-1013-05	FOOT REAR	56	
641	2C		J02-1464-03	FOOT		
642	2C		J19-3751-04	UNIT HOLDER		
643	1B,2B		J19-6078-05	UNIT HOLDER		
△ 647	1C		J42-0083-05	POWER CORD BUSHING		
-			J61-0307-05	WIRE BAND		
650	2B		K29-7675-22	KNOB		
651	2A		K29-7678-04	KNOB		
652	2A		K29-7681-14	KNOB		
653	2A		K29-7684-03	KNOB	561	
654	2B		K29-7687-03	KNOB	56719	
△ 658	1B	*	L07-2916-05	POWER TRANSFORMER	0	
△ 658	1B	*	L07-2922-05	POWER TRANSFORMER	56719	
660	1A		T90-0850-05	ANTENNA ASSY	90	
661	1A		T90-0852-05	LOOP ANTENNA		
662	1A	*	T90-0877-05	LEAD WIRE ANTENNA		
665	2B	*	W02-2771-05	TUNER ASSY	56719	
665	2B	*	W02-2775-05	TUNER ASSY		
RF-RC (X05-5150-11)						
C1 ,2			CC73GCH1H100D	CHIP C	10PF	D
C5			CK73GB1E223K	CHIP C	0.022UF	K
C6			CC73GCH1H221J	CHIP C	220PF	J
C7			CC73GCH1H100D	CHIP C	10PF	D
C8			CK73GB1H102K	CHIP C	1000PF	K
C9			C93-0037-05	CERAMIC	10UF	10WV
C10			CK73GB1H102K	CHIP C	1000PF	K
C11			CC73GCH1H040C	CHIP C	4.0PF	C
C12			CC73GCH1H100D	CHIP C	10PF	D
C13			CC73GCH1H040C	CHIP C	4.0PF	C
C14			CC73GCH1H010C	CHIP C	1.0PF	C
C15			CC73GCH1H050C	CHIP C	5.0PF	C
C16			CK73GB1E223K	CHIP C	0.022UF	K
C17			CC73GCH1H221J	CHIP C	220PF	J
C18			CC73GCH1H100D	CHIP C	10PF	D
C19			CC73GCH1H471J	CHIP C	470PF	J
C20			C93-0037-05	CERAMIC	10UF	10WV
C21			CK73GB1H102K	CHIP C	1000PF	K
C22 ,23			CC73GCH1H150J	CHIP C	15PF	J
C24			CK73GB1H102K	CHIP C	1000PF	K
C25			CK73GB1E103K	CHIP C	0.010UF	K
C26			CK73GF1A474Z	CHIP C	0.47UF	Z
C27			C93-0036-05	CHIP-C	4.7UF	Z
C28			CK73GB1E103K	CHIP C	0.010UF	K
C29			CC73GCH1H101J	CHIP C	100PF	J

L : Scandinavia K : USA P : Canada R : Mexico C : China I : Malaysia
Y : PX(Far East,Hawaii) T : England E : Europe G : Germany V : China(Shanghai)
Y : AAFES(Europe) X : Australia Q : Russia H : Korea M : Other Areas △ indicates safety critical components .

PARTS LIST

VR-505/506/507/509/510/517

* New Parts

Parts without **Parts No.** are not supplied.

Les articles non mentionnés dans le **Parts No.** ne sont pas fournis.

Teile ohne **Parts No.** werden nicht geliefert.

③

Ref. No	Add-ress	New Parts	Parts No.	Description	Desti-nation	Re-marks
C30			CK73GB1E103K	CHIP C 0.010UF K		
C31			C93-0037-05	CERAMIC 10UF 10WV		
C32			CK73GB1C473K	CHIP C 0.047UF K		
C33			C93-0036-05	CHIP-C 4.7UF Z		
C34			CC73GCH1H471J	CHIP C 470PF J		
C35			CK73GB1E103K	CHIP C 0.010UF K		
C36			CK73GF1C224Z	CHIP C 0.22UF Z		
C37			CC73GCH1H100D	CHIP C 10PF D		
C38			CK73GB1H472K	CHIP C 4700PF K		
C39			CC73GCH1H331J	CHIP C 330PF J		
C40			CK73GB1E103K	CHIP C 0.010UF K		
C41			C93-0036-05	CHIP-C 4.7UF Z		
C42			C93-0037-05	CERAMIC 10UF 10WV		
C43			C93-0039-05	CERAMIC 22UF 10WV		
CN1			E40-8530-05	FLAT CABLE CONNECTOR		
J1			E11-0904-05	MINIATURE PHONE JACK(STEREO MI		
CF1			L72-0626-05	CERAMIC FILTER		
L1		*	L79-1269-05	LC FILTER		
L2			L40-1585-67	SMALL FIXED INDUCTOR(150N,J,20		
L3			L32-1021-05	FM OSCILLATING COIL		
L4			L40-1085-67	SMALL FIXED INDUCTOR(100N,J,20		
X1			L77-2274-05	CRYSTAL RESONATOR		
R1			RK73GB1J431J	CHIP R 430 J 1/16W		
R2			RK73GB1J120J	CHIP R 12 J 1/16W		
R3			RK73GB1J431J	CHIP R 430 J 1/16W		
R10			RK73GB1J331J	CHIP R 330 J 1/16W		
R11			RK73GB1J391J	CHIP R 390 J 1/16W		
R12			RK73GB1J100J	CHIP R 10 J 1/16W		
R13			RK73GB1J470J	CHIP R 47 J 1/16W		
R14			RK73GB1J473J	CHIP R 47K J 1/16W		
R15			RK73GB1J2R2J	CHIP R 2.2 J 1/16W		
R16			RK73GB1J100J	CHIP R 10 J 1/16W		
R17			RK73GB1J101J	CHIP R 100 J 1/16W		
R18			RK73GB1J184J	CHIP R 180K J 1/16W		
R19			RK73GB1J471J	CHIP R 470 J 1/16W		
R20 ,21			RK73GB1J100J	CHIP R 10 J 1/16W		
R22 -24			RK73GB1J102J	CHIP R 1.0K J 1/16W		
R25			RK73GB1J472J	CHIP R 4.7K J 1/16W		
R26			RK73GB1J101J	CHIP R 100 J 1/16W		
R27			RK73GB1J152J	CHIP R 1.5K J 1/16W		
R28			RK73GB1J681J	CHIP R 680 J 1/16W		
R29 -31			RK73GB1J102J	CHIP R 1.0K J 1/16W		
R32			RK73GB1J152J	CHIP R 1.5K J 1/16W		
R33			RK73GB1J102J	CHIP R 1.0K J 1/16W		
R34 ,35			RK73GB1J222J	CHIP R 2.2K J 1/16W		
R36 ,37			RK73GB1J101J	CHIP R 100 J 1/16W		
R38			RK73GB1J222J	CHIP R 2.2K J 1/16W		
R39			RK73GB1J472J	CHIP R 4.7K J 1/16W		
R40			RK73GB1J104J	CHIP R 100K J 1/16W		
R41			RK73GB1J472J	CHIP R 4.7K J 1/16W		
R42			RK73GB1J101J	CHIP R 100 J 1/16W		
R43 ,44			RK73GB1J103J	CHIP R 10K J 1/16W		
R45			RK73GB1J105J	CHIP R 1.0M J 1/16W		

L : Scandinavia

K : USA

P : Canada

R : Mexico

C : China

I : Malaysia

Y : PX(Far East,Hawaii)

T : England

E : Europe

G : Germany

V : China(Shanghai)

Y : AAFES(Europe)

X : Australia

Q : Russia

H : Korea

M : Other Areas

⚠ indicates safety critical components .

* New Parts

Parts without **Parts No.** are not supplied.

Les articles non mentionnés dans le **Parts No.** ne sont pas fournis.

Teile ohne **Parts No.** werden nicht geliefert.

④

Ref. No	Add-ress	New Parts	Parts No.	Description	Desti-nation	Re-marks
R46			RK73GB1J562J	CHIP R 5.6K J 1/16W		
R47 -49			RK73GB1J472J	CHIP R 4.7K J 1/16W		
R50			RK73GB1J101J	CHIP R 100 J 1/16W		
R51			RK73GB1J473J	CHIP R 47K J 1/16W		
R52			RK73GB1J103J	CHIP R 10K J 1/16W		
R53			RK73GB1J472J	CHIP R 4.7K J 1/16W		
R54			RK73GB1J101J	CHIP R 100 J 1/16W		
D1 ,2			MA111	DIODE		
D3			KV1832E	VARIABLE CAPACITANCE DIODE		
D4			MA111	DIODE		
IC1			UPC1687G	ANALOGUE IC		
IC2			LV2105V	MOS-IC		
IC3			UPC2748T-E3	ANALOGUE IC		
Q3			2SC5065(O,Y)	TRANSISTOR		
Q4 -6			2SC4178(F13,14)	TRANSISTOR		
Q7			2SA1576A(R,S)	TRANSISTOR		
Q7			2SB1218A(Q,R)	TRANSISTOR		
Q8 -10			2SC4081(R,S)	TRANSISTOR		
Q8 -10			2SD1819A(Q,R)	TRANSISTOR		
Q11 ,12			2SA1576A(R,S)	TRANSISTOR		
Q11 ,12			2SB1218A(Q,R)	TRANSISTOR		
POWER (X07-3290-11,X07-3300-10,X07-3310-10)						
C1 ,2			CC45FSL1H221J	CERAMIC 220PF J		
C3 ,4			CE04KW1H100M	ELECTRO 10UF 50WV	6790	
C5 ,6			CC45FSL1H221J	CERAMIC 220PF J	6790	
C7 ,8			CE04KW1A101M	ELECTRO 100UF 10WV	6790	
C9 ,10			CC45FSL1H271J	CERAMIC 270PF J	6790	
C11 ,12			CQ93FMG1H123J	MYLAR 0.012UF J	6790	
C13 ,14			CK45FB1H332K	CERAMIC 3300PF K	6790	
C15 ,16			CC45FSL1H101J	CERAMIC 100PF J	6790	
C17 ,18			CE04KW1H4R7M	ELECTRO 4.7UF 50WV	6790	
C19 -32			CC45FSL1H221J	CERAMIC 220PF J		
C33 ,34			CC45FSL1H221J	CERAMIC 220PF J	5790	
C35 ,36			CC45FSL1H221J	CERAMIC 220PF J	790	
C37 ,38			CE04PW1H2R2M	ELECTRO 2.2UF 50WV		
C39 ,40			CC45FSL1H101J	CERAMIC 100PF J		
C41 ,42			CE04KW1H2R2M	ELECTRO 2.2UF 50WV		
C43 ,44			CC45FSL1H101J	CERAMIC 100PF J		
C45 ,46		*	CE04PW1C220M	ELECTRO 22UF 16WV		
C47 ,48			CE04KW1H2R2M	ELECTRO 2.2UF 50WV		
C49 ,50			CK45FB1H471K	CERAMIC 470PF K		
C51 ,52			CE04KW1A101M	ELECTRO 100UF 10WV		
C53 ,54			CK45FB1H471K	CERAMIC 470PF K		
C55 ,56			CC45FCH1H180J	CERAMIC 18PF J		
C57 -60			C91-1573-05	MP-C 0.10UF J		
C61 ,62			CK45FB1H222K	CERAMIC 2200PF K		
C101,102			CE04KW1H100M	ELECTRO 10UF 50WV		
C103,104			CE04KW1H2R2M	ELECTRO 2.2UF 50WV		
C105,106			CK45FB1H471K	CERAMIC 470PF K		
C107,108			CE04KW1A101M	ELECTRO 100UF 10WV		
C109,110			CK45FB1H471K	CERAMIC 470PF K		
C111,112			CC45FCH1H180J	CERAMIC 18PF J		
C113-116			C91-1573-05	MP-C 0.10UF J		
C117,118			CK45FB1H222K	CERAMIC 2200PF K	16790	

L : Scandinavia

K : USA

P : Canada

R : Mexico

C : China

I : Malaysia

Y : PX(Far East,Hawaii)

T : England

E : Europe

G : Germany

V : China(Shanghai)

Y : AAFES(Europe)

X : Australia

Q : Russia

H : Korea

M : Other Areas

⚠ indicates safety critical components .

PARTS LIST

VR-505/506/507/509/510/517

* New Parts
Parts without **Parts No.** are not supplied.
Les articles non mentionnés dans le **Parts No.** ne sont pas fournis.
Teile ohne **Parts No.** werden nicht geliefert.

5

Ref. No	Add-ress	New Parts	Parts No.	Description	Desti-nation	Re-marks
C119,120 C131 C132 C133 C134			CK45FB1H222K CE04KW1H2R2M CE04KW1H2R2M CK45FB1H471K CK45FB1H471K	CERAMIC 2200PF K ELECTRO 2.2UF 50WV ELECTRO 2.2UF 50WV CERAMIC 470PF K CERAMIC 470PF K	56790 1 1	
C135 C136 C137 C139 C140			CE04KW1A101M CE04KW1A101M CK45FB1H471K CC45FCH1H180J CC45FCH1H180J	ELECTRO 100UF 10WV ELECTRO 100UF 10WV CERAMIC 470PF K CERAMIC 18PF J CERAMIC 18PF J	1 1 1 1	
C141 C142 C143 C144 C145			C91-1573-05 C91-1573-05 C91-1573-05 C91-1573-05 CK45FB1H222K	MP-C 0.10UF J MP-C 0.10UF J MP-C 0.10UF J MP-C 0.10UF J CERAMIC 2200PF K	1 1 1 1	
C146 C147 C151-155 C201,202 C201,202		*	CK45FB1H222K CC45FSH1H221J CC45FSL1H101J C90-3945-05 C90-3982-05	CERAMIC 2200PF K CERAMIC 220PF J CERAMIC 100PF J ELECTRO 10000UF 80WV ELECTRO 4700UF 75WV	1 5679 0 15679	
C203,204 C203,204 C205 C206 C207,208		*	C90-3946-05 C90-3983-05 CE04KW1E222M CE04LW1E471M CE04KW1E101M	ELECTRO 3300UF 50WV ELECTRO 3300UF 50WV ELECTRO 2200UF 25WV ELECTRO 470UF 25WV ELECTRO 100UF 25WV	0 15679	
C209 C210 C211 C212 C213		*	CE04PW1H100M CE04PW1J330M CC45FSL1H101J CK45FF1H103Z CK45FSL1H221J	ELECTRO 10UF 50WV ELECTRO 33UF 63WV CERAMIC 100PF J CERAMIC 0.010UF Z CERAMIC 220PF J	6790 6790	
C214 C215 C216 C217,218 C219,220			CK45FB1H102K CK45FF1H103Z CC45FSL1H221J CE04KW1H101M CE04KW2A101M	CERAMIC 1000PF K CERAMIC 0.010UF Z CERAMIC 220PF J ELECTRO 100UF 50WV ELECTRO 100UF 100WV		
C221 C222 C223,224 C225 C226			CE04PW1A101M CE04HW1A221M CE04KW2A100M CE04PW1H4R7M CE04PW1H010M	ELECTRO 100UF 10WV NP-ELEC 220UF 10WV ELECTRO 10UF 100WV ELECTRO 4.7UF 50WV ELECTRO 1UF 50WV		
C227 C228 C229 C230 C232		*	CE04PW1A221M CE04PW1H2R2M CE04KW1E332M CE04KW1H100M C91-1573-05	ELECTRO 220UF 10WV ELECTRO 2.2UF 50WV ELECTRO 3300UF 25WV ELECTRO 10UF 50WV MP-C 0.10UF J		
C233 C234 C303-307 C308 C309			CK45FF1H103Z CE04KW1H100M CK45FF1H472Z CK45FF1H472Z CE04HW1E100M	CERAMIC 0.010UF Z ELECTRO 10UF 50WV CERAMIC 4700PF Z CERAMIC 4700PF Z NP-ELEC 10UF 25WV	1	
C310 C311,312 C313,314 C315 C316,317		*	CE04LW1E470M CK45FF1H103Z CK45FF1H223Z CK45FB1H471K C91-1635-05	ELECTRO 47UF 25WV CERAMIC 0.010UF Z CERAMIC 0.022UF Z CERAMIC 470PF K FILM 0.068UF 275WV		

L: Scandinavia K: USA P: Canada R: Mexico C: China I: Malaysia
Y: PX(Far East,Hawaii) T: England E: Europe G: Germany V: China(Shanghai)
Y: AAFES(Europe) X: Australia Q: Russia H: Korea M: Other Areas ⚠ indicates safety critical components .

* New Parts
Parts without **Parts No.** are not supplied.
Les articles non mentionnés dans le **Parts No.** ne sont pas fournis.
Teile ohne **Parts No.** werden nicht geliefert.

6

Ref. No	Add-ress	New Parts	Parts No.	Description	Desti-nation	Re-marks
C401,402 C403,404 C405			CK45FB1H102K CC45FSL1H101J CK45FB1H102K	CERAMIC 1000PF K CERAMIC 100PF J CERAMIC 1000PF K		
CN2 CN4 CN5 CN6 CN7			E40-4245-05 E40-4245-05 E40-8485-05 E40-9850-05 E40-8483-05	PIN ASSY PIN ASSY FLAT CABLE CONNECTOR PIN ASSY FLAT CABLE CONNECTOR		
J1 ,2 J3 J4 J4 J5			E63-1143-05 E63-1144-05 E70-0049-05 E70-0122-05 E70-0128-05	PIN JACK PIN JACK SCREW TERMINAL BOARD LOCK TERMINAL BOARD LOCK TERMINAL BOARD	790 6790 15 6790	
J6 J7 J8 J8 J9			E70-0122-05 E63-1146-05 E03-0148-05 E03-0316-05 E70-0057-05	LOCK TERMINAL BOARD PIN JACK AC OUTLET AC OUTLET LOCK TERMINAL BOARD	1 5679 16790 5 5	
J10		*	E63-1138-05	PIN JACK	5	
F1			F50-0077-05	FUSE(5X20)		
CN8 ,9 E5			J13-0075-05 J11-0808-05	FUSE CLIP WIRE CLAMPER		
L1 -5 L6 T1 T1 T1			L39-1373-05 L39-1373-05 L07-2758-05 L07-2761-05 L07-2809-05	PHASE COMPENSATION COIL PHASE COMPENSATION COIL POWER TRANSFORMER POWER TRANSFORMER POWER TRANSFORMER	1 6 15 790	
R73 -76 R83 ,84 R85 ,86 R87 ,88 R109-112			RS14KB3DR22J RD14NB2E4R7J RS14KB3D4R7J RS14KB3D391J RS14KB3DR22J	FL-PROOF RS 0.22 J 2W RD 4.7 J 1/4W FL-PROOF RS 4.7 J 2W FL-PROOF RS 390 J 2W FL-PROOF RS 0.22 J 2W		
R119,120 R121,122 R139 R140 R141			RD14NB2E4R7J RS14KB3D4R7J RS14KB3DR22J RS14KB3DR22J RS14KB3DR22J	RD 4.7 J 1/4W FL-PROOF RS 4.7 J 2W FL-PROOF RS 0.22 J 2W FL-PROOF RS 0.22 J 2W FL-PROOF RS 0.22 J 2W	1	
R142 R149 R150 R151 R152			RS14KB3DR22J RD14NB2E4R7J RD14NB2E4R7J RS14KB3D4R7J RS14KB3D4R7J	FL-PROOF RS 0.22 J 2W RD 4.7 J 1/4W RD 4.7 J 1/4W FL-PROOF RS 4.7 J 2W FL-PROOF RS 4.7 J 2W	1 1 1	
R207 R208 R223-226 R238,239 R242,243			RD14NB2E101J RD14NB2E822J RS14KB3A472J RD14NB2E103J RD14NB2E101J	RD 100 J 1/4W RD 8.2K J 1/4W FL-PROOF RS 4.7K J 1W RD 10K J 1/4W RD 100 J 1/4W		
R254 R260 R262 R263 R301,302			RS14KB3D181J R92-1844-05 RD14NB2E1R0J RD14NB2E270J RD14NB2E1R0J	FL-PROOF RS 180 J 2W CARBON 3.3M J 1/2W RD 1 J 1/4W RD 27 J 1/4W RD 1 J 1/4W	90	

L: Scandinavia K: USA P: Canada R: Mexico C: China I: Malaysia
Y: PX(Far East,Hawaii) T: England E: Europe G: Germany V: China(Shanghai)
Y: AAFES(Europe) X: Australia Q: Russia H: Korea M: Other Areas ⚠ indicates safety critical components .

PARTS LIST

VR-505/506/507/509/510/517

* New Parts

Parts without **Parts No.** are not supplied.

Les articles non mentionnés dans le **Parts No.** ne sont pas fournis.

Teile ohne **Parts No.** werden nicht geliefert.

7

Ref. No	Add-ress	New Parts	Parts No.	Description	Desti-nation	Re-marks
R321-323 R335 R998,999			RS14KB3A151J RD14NB2E821J RD14NB2E1R0J	FL-PROOF RS 150 J 1W RD 820 J 1/4W RD 1 J J 1/4W		
K1 ,2 K1 ,2 K1 ,2 K3 K3			S76-0042-05 S76-0097-05 * S76-0112-05 S76-0042-05 S76-0097-05	MAGNETIC RELAY MAGNETIC RELAY MAGNETIC RELAY MAGNETIC RELAY MAGNETIC RELAY	170 569 70 56790	
K3 K4 K4 K4 K5			* S76-0112-05 S76-0042-05 S76-0097-05 * S76-0112-05 S76-0099-05	MAGNETIC RELAY MAGNETIC RELAY MAGNETIC RELAY MAGNETIC RELAY MAGNETIC RELAY	569 170 16790 69	
Δ D1 ,2 Δ D1 ,2 Δ D3 D4 D4			* D5SBA20F03 TS6P03G-B D2SBA20F03 MTZJ16(B) RD16ES(B)	DIODE DIODE DIODE ZENER DIODE ZENER DIODE		
D5 -9 D5 -9 D10 -14 D10 -14 D15			MTZJ15(B) RD15ES(B) HSS104A 1SS133 HSS104A	ZENER DIODE ZENER DIODE DIODE DIODE DIODE	1	
D15 D16 ,17 D16 ,17 D18 D18			1SS133 HSS104A 1SS133 MTZJ6.8(B) MTZJ8.2(B)	DIODE DIODE DIODE ZENER DIODE ZENER DIODE	1 56790	
D18 D18 D19 D19 D19			RD6.8ES(B) RD8.2ES(B) MTZJ15(B) MTZJ16(B) RD15ES(B)	ZENER DIODE ZENER DIODE ZENER DIODE ZENER DIODE ZENER DIODE	1 56790 10 5679 10	
D19 D20 D20 D20 D20			RD16ES(B) MTZJ13(B) MTZJ18(B) MTZJ20(B) RD13ES(B)	ZENER DIODE ZENER DIODE ZENER DIODE ZENER DIODE ZENER DIODE	5679 1 5679 0 1	
D20 D20 D21 D21 D22 ,23			RD18ES(B) RD20ES(B) HSS104A 1SS133 MTZJ3.9(B)	ZENER DIODE ZENER DIODE DIODE DIODE ZENER DIODE	5679 0	
D22 ,23 D24 -26 D24 -26 D27 D27			RD3.9ES(B) HSS104A 1SS133 HSS104A 1SS133	ZENER DIODE DIODE DIODE DIODE DIODE	56790 56790	
D28 D28 D31 D31 D32 -34			HSS104A 1SS133 MTZJ3.9(B) RD3.9ES(B) HSS104A	DIODE DIODE ZENER DIODE ZENER DIODE DIODE	16790 16790	
Δ D32 -34 Δ D32 -34			1SS133	DIODE		

L : Scandinavia Y : PX(Far East,Hawaii) Y : AAFES(Europe)
K : USA T : England X : Australia
P : Canada E : Europe Q : Russia
R : Mexico G : Germany H : Korea
C : China V : China(Shanghai) M : Other Areas
I : Malaysia Δ indicates safety critical components .

* New Parts

Parts without **Parts No.** are not supplied.

Les articles non mentionnés dans le **Parts No.** ne sont pas fournis.

Teile ohne **Parts No.** werden nicht geliefert.

8

Ref. No	Add-ress	New Parts	Parts No.	Description	Desti-nation	Re-marks
Δ D35 D36 D37 D37 IC1			S1ZB20(4101) RB721Q HSS104A 1SS133 * STK412-020N	DIODE DIODE DIODE DIODE HYBRID IC	5679	
Δ IC1 Δ IC1 Δ IC2 Δ IC2 Δ IC3 ,4			* STK412-040N * STK412-040T * STK413-020T * STK413-040T * STK413-020A	HYBRID IC HYBRID IC HYBRID IC HYBRID IC HYBRID IC	0 0 5679 0 1	
Δ IC5 Δ IC6 IC7 IC8 IC9 ,10			KIA7812API KIA7912PI NJM4580L-D NJU7313AL NJM4565D	ANALOGUE IC ANALOGUE IC ANALOGUE IC ANALOGUE IC ANALOGUE IC	6790	
Δ IC11 Δ IC12 Q1 -5 Q6 Q201			NJU7313AL BA05T 2SC2878(B) 2SC2878(B) 2SB1640	ANALOGUE IC ANALOGUE IC TRANSISTOR TRANSISTOR TRANSISTOR	15679	
Q202 Q203 Q205 Q206 Q207			2SC1845(F,E) 2SA1535A 2SC1845(F,E) 2SA992(F,E) 2SC3944A	TRANSISTOR TRANSISTOR TRANSISTOR TRANSISTOR TRANSISTOR		
Q208 Q209,210 Q211-214 Q215 Q215			2SB1640 2SA992(F,E) 2SC1845(F,E) 2SC1740S(Q,R) 2SC2785(F,E)	TRANSISTOR TRANSISTOR TRANSISTOR TRANSISTOR TRANSISTOR		
Q301-305 Q306 Q307,308 Q309 Q310			2SC1845(F,E) 2SC1845(F,E) UN4219 UN4219 UN4219	TRANSISTOR TRANSISTOR DIGITAL TRANSISTOR DIGITAL TRANSISTOR DIGITAL TRANSISTOR	1 56790 16790	
Q311			2SA992(F,E)	TRANSISTOR		
SURROUND (X08-3060-10, X08-3070-10)						
C1 ,2 C3 C4 C5 ,6 C7 ,8			CE04LW1H100M CK73GB1H103K CC73GCH1H101J CK73GB1H222K CK73FB1E104K	ELECTRO CHIP C CHIP C CHIP C CHIP C	10UF 0.010UF 100PF 2200PF 0.10UF	50WV K J K K
C9 ,10 C11 -14 C21 C22 C23			CE04LW1H4R7M CC73GCH1H101J CK73FB1E104K CE04LW1H100M CK73GB1H102K	ELECTRO CHIP C CHIP C ELECTRO CHIP C	4.7UF 100PF 0.10UF 10UF 1000PF	50WV J K 50WV K
C24 ,25 C26 C27 C29 C31			CK73FB1E104K CE04LW1H100M CE04LW1H4R7M CK73GB1H103K CC73GCH1H220J	CHIP C ELECTRO ELECTRO CHIP C CHIP C	0.10UF 10UF 4.7UF 0.010UF 22PF	K 50WV 50WV K J
C32 C33			CK73GB1H472K CC73GCH1H220J	CHIP C CHIP C	4700PF 22PF	K J

L : Scandinavia Y : PX(Far East,Hawaii) Y : AAFES(Europe)
K : USA T : England X : Australia
P : Canada E : Europe Q : Russia
R : Mexico G : Germany H : Korea
C : China V : China(Shanghai) M : Other Areas
I : Malaysia Δ indicates safety critical components .


PARTS LIST

VR-505/506/507/509/510/517

* New Parts
Parts without **Parts No.** are not supplied.
Les articles non mentionnés dans le **Parts No.** ne sont pas fournis.
Teile ohne **Parts No.** werden nicht geliefert.

9


Ref. No	Add-ress	New Parts	Parts No.	Description	Desti-nation	Re-marks
C34			CK73GB1H472K	CHIP C	4700PF	K
C35			CK73FF1C105Z	CHIP C	1.0UF	Z
C36			CK73FF1C105Z	CHIP C	1.0UF	Z
C37			CK73FF1C105Z	CHIP C	1.0UF	Z
C41			CC73GCH1H220J	CHIP C	22PF	J
C42			CC73GCH1H270J	CHIP C	27PF	J
C43 ,44			CK73GB1H102K	CHIP C	1000PF	K
C45			CK73GB1H103K	CHIP C	0.010UF	K
C46			CC73GCH1H220J	CHIP C	22PF	J
C54 ,55			CC73GCH1H220J	CHIP C	22PF	J
C56			CK73GB1H102K	CHIP C	1000PF	K
C57			CK73FB1E104K	CHIP C	0.10UF	K
C58 ,59			CK73GB1H103K	CHIP C	0.010UF	K
C103,104			CE04PW1H100M	ELECTRO	10UF	50WV
C105,106			CK73GB1H182K	CHIP C	1800PF	K
C107,108			CK73GB1H222K	CHIP C	2200PF	K
C109			CK73GB1H472K	CHIP C	4700PF	K
C110			CC73GCH1H101J	CHIP C	100PF	J
C111,112			CC73GCH1H101J	CHIP C	100PF	J
C121,122			CC73GCH1H220J	CHIP C	22PF	J
C125			CK73GB1H103K	CHIP C	0.010UF	K
C126			CC73GCH1H101J	CHIP C	100PF	J
C141			CC73GCH1H101J	CHIP C	100PF	J
C151,152			CE04LW1H4R7M	ELECTRO	4.7UF	50WV
C151,152		*	CE04PW2A4R7M	ELECTRO	4.7UF	100WV
C153,154			CC73GCH1H101J	CHIP C	100PF	J
C155-157			CE04LW1H4R7M	ELECTRO	4.7UF	50WV
C155-157		*	CE04PW2A4R7M	ELECTRO	4.7UF	100WV
C158-160			CE04PW1H4R7M	ELECTRO	4.7UF	50WV
C161,162			CK73GB1H223K	CHIP C	0.022UF	K
C163,164			CK73GB1C333K	CHIP C	0.033UF	K
C165,166			CK73FB1C474K	CHIP C	0.47UF	K
C167,168			CE04LW1H4R7M	ELECTRO	4.7UF	50WV
C169,170			CK73GB1H222K	CHIP C	2200PF	K
C177-181			CE04KW1H4R7M	ELECTRO	4.7UF	50WV
C182			CE04PW1H4R7M	ELECTRO	4.7UF	50WV
C183			CK73FF1C105Z	CHIP C	1.0UF	Z
C184			CC73GCH1H221J	CHIP C	220PF	J
C185,186			CK73FB1E104K	CHIP C	0.10UF	K
C189,190			CE04PW1H100M	ELECTRO	10UF	50WV
C203,204			CE04PW1H100M	ELECTRO	10UF	50WV
C205,206			CK73GB1H222K	CHIP C	2200PF	K
C207,208			CK73GB1H821K	CHIP C	820PF	K
C209			CK73GB1H472K	CHIP C	4700PF	K
C210			CC73GCH1H101J	CHIP C	100PF	J
C211,212			CC73GCH1H101J	CHIP C	100PF	J
C215,216			CK73GB1H102K	CHIP C	1000PF	K
C251-256			CC73GCH1H221J	CHIP C	220PF	J
C303,304			CE04PW1H100M	ELECTRO	10UF	50WV
C305			CK73GB1H182K	CHIP C	1800PF	K
C306			CK73GB1H822K	CHIP C	8200PF	K
C307			CK73GB1H222K	CHIP C	2200PF	K
C308			CK73GB1H822K	CHIP C	8200PF	K
C309			CK73GB1H103K	CHIP C	0.010UF	K
C310			CC73GCH1H101J	CHIP C	100PF	J

L : Scandinavia K : USA P : Canada R : Mexico C : China I : Malaysia
Y : PX(Far East,Hawaii) T : England E : Europe G : Germany V : China(Shanghai)
Y : AAFES(Europe) X : Australia Q : Russia H : Korea M : Other Areas  indicates safety critical components .

* New Parts
Parts without **Parts No.** are not supplied.
Les articles non mentionnés dans le **Parts No.** ne sont pas fournis.
Teile ohne **Parts No.** werden nicht geliefert.

10

Ref. No	Add-ress	New Parts	Parts No.	Description	Desti-nation	Re-marks
C311			CC73GCH1H101J	CHIP C	100PF	J
C401,402			CK73GB1H103K	CHIP C	0.010UF	K
C451			CK73FB1E104K	CHIP C	0.10UF	K
C452			CE04KW1C472M	ELECTRO	4700UF	16WV
C453,454			CK73FB1E104K	CHIP C	0.10UF	K
C455			CE04LW1E470M	ELECTRO	47UF	25WV
C456,457			CK73FB1E104K	CHIP C	0.10UF	K
C458			CE04LW1E470M	ELECTRO	47UF	25WV
C459			CE04PW1H100M	ELECTRO	10UF	50WV
C460			CK73FB1E104K	CHIP C	0.10UF	K
C461			CE04PW1E470M	ELECTRO	47UF	25WV
C462			CE04PW1H100M	ELECTRO	10UF	50WV
C463			CK73FB1E104K	CHIP C	0.10UF	K
C464			CE04PW1E470M	ELECTRO	47UF	25WV
C465			CK73GB1H103K	CHIP C	0.010UF	K
C468,469			CC73GCH1H101J	CHIP C	100PF	J
C501-504			CK73FB1E104K	CHIP C	0.10UF	K
C505			CK73GB1H102K	CHIP C	1000PF	K
C506			CC73GCH1H471J	CHIP C	470PF	J
C507			CK73GB1H103K	CHIP C	0.010UF	K
C508			CE04LW1H2R2M	ELECTRO	2.2UF	50WV
C509			CE04PW1E470M	ELECTRO	47UF	25WV
C510			CK73GB1H103K	CHIP C	0.010UF	K
C601-604			CK73FB1E104K	CHIP C	0.10UF	K
C605			CK73GB1H102K	CHIP C	1000PF	K
C606			CC73GCH1H471J	CHIP C	470PF	J
C607			CK73GB1H103K	CHIP C	0.010UF	K
C608			CE04LW1H2R2M	ELECTRO	2.2UF	50WV
C609			CE04PW1E470M	ELECTRO	47UF	25WV
C610			CK73GB1H103K	CHIP C	0.010UF	K
C651			CE04PW1H010M	ELECTRO	1UF	50WV
C652			CE04PW1C101M	ELECTRO	100UF	16WV
C653			CE04PW1H100M	ELECTRO	10UF	50WV
C654			CE04LW1C101M	ELECTRO	100UF	16WV
C655			CE04EW1C471M	ELECTRO	470UF	16WV
C701,702			CK73GB1H471K	CHIP C	470PF	K
C703,704			CE04KW1E470M	ELECTRO	47UF	25WV
C705,706			CC73GCH1H220J	CHIP C	22PF	J
C707,708			CE04KW1H100M	ELECTRO	10UF	50WV
C709,710			CC73GCH1H330J	CHIP C	33PF	J
C711,712			CC73GCH1H470J	CHIP C	47PF	J
C713			CC73GCH1H101J	CHIP C	100PF	K
C714			CK73GB1H103K	CHIP C	0.010UF	K
C715,716			CE04LW1E470M	ELECTRO	47UF	25WV
C801,802			CK73GB1H471K	CHIP C	470PF	K
C803,804			CE04KW1E470M	ELECTRO	47UF	25WV
C805,806			CC73GCH1H220J	CHIP C	22PF	J
C807,808			CE04LW1E470M	ELECTRO	47UF	25WV
C809,810			CC73GCH1H330J	CHIP C	33PF	J
C811,812			CC73GCH1H470J	CHIP C	47PF	J
C813			CC73GCH1H101J	CHIP C	100PF	J
C814			CK73GB1H103K	CHIP C	0.010UF	K
C901,902			CK73GB1H471K	CHIP C	470PF	K
C903			CE04KW1E470M	ELECTRO	47UF	25WV
C904			CE04KW1E221M	ELECTRO	220UF	25WV

L : Scandinavia K : USA P : Canada R : Mexico C : China I : Malaysia
Y : PX(Far East,Hawaii) T : England E : Europe G : Germany V : China(Shanghai)
Y : AAFES(Europe) X : Australia Q : Russia H : Korea M : Other Areas  indicates safety critical components .

PARTS LIST

* New Parts

Parts without **Parts No.** are not supplied.

Les articles non mentionnés dans le **Parts No.** ne sont pas fournis.

Teile ohne **Parts No.** werden nicht geliefert.

11

Ref. No	Add-ress	New Parts	Parts No.	Description	Desti-nation	Re-marks
C905,906 C907,908 C909 C910 C911			CC73GCH1H220J CE04KW1H100M CC73GCH1H330J CK73GB1H222K CC73GCH1H470J	CHIP C 22PF J ELECTRO 10UF 50WV CHIP C 33PF J CHIP C 2200PF K CHIP C 47PF J		
C913 C914 C915,916			CC73GCH1H101J CK73GB1H103K CE04LW1E470M	CHIP C 100PF J CHIP C 0.010UF K ELECTRO 47UF 25WV	0	
CN1 CN2 CN3 CN5 J1			E40-8485-05 E40-9842-05 E40-8488-05 E40-3246-05 E63-1080-05	FLAT CABLE CONNECTOR PIN ASSY FLAT CABLE CONNECTOR PIN ASSY PIN JACK	0	
J2			E63-1139-05	PIN JACK	16790	
E2			F10-1197-04	SHIELDING PLATE		
E1			J11-0808-05	WIRE CLAMPER		
L41 X1			L92-0510-05 L77-2296-05	CHIP FERRITE CRYSTAL RESONATOR(12.288MHZ)		
CP51,52 CP61,62 CP90,91 CP92 CP93-96			R90-0714-05 R90-0714-05 R90-0728-05 R90-0728-05 R90-0728-05	MULTI-COMP 10K X4 MULTI-COMP 10K X4 MULTI-COMP 180 X4 MULTI-COMP 180 X4 MULTI-COMP 180 X4	0 0	
R1 ,2 R3 ,4 R5 ,6 R7 -10 R11 ,12			RK73GB1J562J RK73GB1J101J RK73GB1J471J RK73GB1J472J RK73GB1J471J	CHIP R 5.6K J 1/16W CHIP R 100 J 1/16W CHIP R 470 J 1/16W CHIP R 4.7K J 1/16W CHIP R 470 J 1/16W		
R20 R21 R31 ,32 R33 R34			RD14NB2E4R7J RK73GB1J221J RK73GB1J820J RK73GB1J471J RD14NB2E4R7J	RD 4.7 J 1/4W CHIP R 220 J 1/16W CHIP R 82 J 1/16W CHIP R 470 J 1/16W RD 4.7 J 1/4W		
R35 R36 R37 R38 R41 ,42			RK73GB1J471J RD14NB2E4R7J RK73GB1J471J RD14NB2E4R7J RK73GB1J105J	CHIP R 470 J 1/16W RD 4.7 J 1/4W CHIP R 470 J 1/16W RD 4.7 J 1/4W CHIP R 1.0M J 1/16W	790 790 90 90	
R43 -45 R54 R55 -57 R58 R59			RK73GB1J221J RK73GB1J183J RK73GB1J220J RK73GB1J221J RK73GB1J220J	CHIP R 220 J 1/16W CHIP R 18K J 1/16W CHIP R 22 J 1/16W CHIP R 220 J 1/16W CHIP R 22 J 1/16W		
R66 R67 R68 R101,102 R103,104			RK73GB1J104J RK73GB1J103J RK73GB1J221J RK73GB1J222J RK73GB1J104J	CHIP R 100K J 1/16W CHIP R 10K J 1/16W CHIP R 220 J 1/16W CHIP R 2.2K J 1/16W CHIP R 100K J 1/16W		
R107,108 R109,110 R111,112 R113,114			RK73GB1J222J RK73GB1J103J RK73GB1J472J RK73GB1J221J	CHIP R 2.2K J 1/16W CHIP R 10K J 1/16W CHIP R 4.7K J 1/16W CHIP R 220 J 1/16W		

L: Scandinavia K: USA P: Canada R: Mexico C: China I: Malaysia

Y: PX(Far East,Hawaii)

T: England E: Europe

G: Germany

V: China(Shanghai)

M: Other Areas

Y: AAFES(Europe) X: Australia Q: Russia H: Korea Δ indicates safety critical components.

* New Parts

Parts without **Parts No.** are not supplied.

Les articles non mentionnés dans le **Parts No.** ne sont pas fournis.

Teile ohne **Parts No.** werden nicht geliefert.

12

Ref. No	Add-ress	New Parts	Parts No.	Description	Desti-nation	Re-marks
R121-124 R125,126 R127,128 R141-146 R151-156			RK73GB1J103J RK73GB1J101J RK73GB1J242J RK73GB1J1R0J RK73GB1J100J	CHIP R 10K J 1/16W CHIP R 100 J 1/16W CHIP R 2.4K J 1/16W CHIP R 1 J 1/16W CHIP R 10 J 1/16W	5	
R157,158 R159-164 R165 R166 R168,169			RK73GB1J221J RK73GB1J101J RK73GB1J392J RK73GB1J272J RK73FB2A1R0J	CHIP R 220 J 1/16W CHIP R 100 J 1/16W CHIP R 3.9K J 1/16W CHIP R 2.7K J 1/16W CHIP R 1 J 1/10W		
R170,171 R172,173 R201,202 R203,204 R207,208			RK73GB1J471J RK73GB1J101J RK73GB1J332J RK73GB1J104J RK73GB1J222J	CHIP R 470 J 1/16W CHIP R 100 J 1/16W CHIP R 3.3K J 1/16W CHIP R 100K J 1/16W CHIP R 2.2K J 1/16W		
R209,210 R211,212 R213,214 R215,216 R217,218			RK73GB1J272J RK73GB1J562J RK73GB1J221J RK73GB1J472J RK73GB1J562J	CHIP R 2.7K J 1/16W CHIP R 5.6K J 1/16W CHIP R 220 J 1/16W CHIP R 4.7K J 1/16W CHIP R 5.6K J 1/16W		
R220 R251,252 R253,254 R255,256 R257,258			RK73GB1J103J RK73GB1J153J RK73GB1J223J RK73GB1J103J RK73GB1J223J	CHIP R 10K J 1/16W CHIP R 15K J 1/16W CHIP R 22K J 1/16W CHIP R 10K J 1/16W CHIP R 22K J 1/16W	16790 16790 16790 16790	
R259,260 R261,262 R263,264 R301 R302			RK73GB1J103J RK73GB1J223J RK73GB1J101J RK73GB1J222J RK73GB1J153J	CHIP R 10K J 1/16W CHIP R 22K J 1/16W CHIP R 100 J 1/16W CHIP R 2.2K J 1/16W CHIP R 15K J 1/16W	16790 16790 16790	
R303,304 R307 R308 R309,310 R311			RK73GB1J104J RK73GB1J222J RK73GB1J183J RK73GB1J103J RK73GB1J472J	CHIP R 100K J 1/16W CHIP R 2.2K J 1/16W CHIP R 18K J 1/16W CHIP R 10K J 1/16W CHIP R 4.7K J 1/16W		
R312 R313 R314 R401-405 R407,408			RK73GB1J562J RK73GB1J102J RK73GB1J221J RK73GB1J471J RK73GB1J471J	CHIP R 5.6K J 1/16W CHIP R 1.0K J 1/16W CHIP R 220 J 1/16W CHIP R 470 J 1/16W CHIP R 470 J 1/16W		
R411 R449 R451 R452 R453			RK73GB1J471J RS14KB3D180J R92-1945-05 RD14NB2E1R0J RD14NB2E4R7J	CHIP R 470 J 1/16W FL-PROOF RS 18 J 2W METAL GLAZE 1 J 1/4W RD 1 J 1/4W RD 4.7 J 1/4W	0	
R454 R459 R460 R461 R462			RS14KB3D180J R92-1993-05 RK73GB1J223J R92-1993-05 RK73GB1J223J	FL-PROOF RS 18 J 2W METAL GLAZE 560 J 1/4W CHIP R 22K J 1/16W METAL GLAZE 560 J 1/4W CHIP R 22K J 1/16W	0 0	
R491,492 R493 R494 R495 R496			RK73GB1J221J RK73GB1J473J RK73GB1J472J RK73GB1J102J RK73GB1J152J	CHIP R 220 J 1/16W CHIP R 47K J 1/16W CHIP R 4.7K J 1/16W CHIP R 1.0K J 1/16W CHIP R 1.5K J 1/16W		

L: Scandinavia K: USA P: Canada R: Mexico C: China I: Malaysia

Y: PX(Far East,Hawaii)

T: England E: Europe

G: Germany

V: China(Shanghai)

M: Other Areas

Y: AAFES(Europe) X: Australia Q: Russia H: Korea Δ indicates safety critical components.

PARTS LIST

VR-505/506/507/509/510/517

* New Parts
Parts without **Parts No.** are not supplied.
Les articles non mentionnés dans le **Parts No.** ne sont pas fournis.
Teile ohne **Parts No.** werden nicht geliefert.

13

Ref. No	Add-ress	New Parts	Parts No.	Description	Desti-nation	Re-marks
R501			RK73GB1J221J	CHIP R	220 J 1/16W	0
R502,503			RK73GB1J473J	CHIP R	47K J 1/16W	0
R505			RK73GB1J103J	CHIP R	10K J 1/16W	
R514			RK73GB1J101J	CHIP R	100 J 1/16W	
R515			RK73GB1J221J	CHIP R	220 J 1/16W	
R516			RK73GB1J103J	CHIP R	10K J 1/16W	
R517			RK73GB1J221J	CHIP R	220 J 1/16W	
R518			RK73GB1J472J	CHIP R	4.7K J 1/16W	
R519			RK73GB1J221J	CHIP R	220 J 1/16W	
R520,521			RK73GB1J103J	CHIP R	10K J 1/16W	
R522,523			RK73GB1J472J	CHIP R	4.7K J 1/16W	
R524			RK73GB1J333J	CHIP R	33K J 1/16W	
R527			RK73GB1J103J	CHIP R	10K J 1/16W	
R528,529			RK73GB1J221J	CHIP R	220 J 1/16W	
R532-536			RK73GB1J221J	CHIP R	220 J 1/16W	15679
R601-603			RK73GB1J221J	CHIP R	220 J 1/16W	0
R605			RK73GB1J103J	CHIP R	10K J 1/16W	0
R614			RK73GB1J101J	CHIP R	100 J 1/16W	0
R615			RK73GB1J221J	CHIP R	220 J 1/16W	0
R616			RK73GB1J103J	CHIP R	10K J 1/16W	0
R617			RK73GB1J221J	CHIP R	220 J 1/16W	0
R618			RK73GB1J472J	CHIP R	4.7K J 1/16W	0
R619			RK73GB1J221J	CHIP R	220 J 1/16W	0
R620,621			RK73GB1J103J	CHIP R	10K J 1/16W	0
R622,623			RK73GB1J472J	CHIP R	4.7K J 1/16W	0
R624			RK73GB1J333J	CHIP R	33K J 1/16W	0
R627			RK73GB1J103J	CHIP R	10K J 1/16W	0
R628,629			RK73GB1J221J	CHIP R	220 J 1/16W	0
R652			RK73GB1J223J	CHIP R	22K J 1/16W	0
R653			RK73GB1J102J	CHIP R	1.0K J 1/16W	0
R654			RK73GB1J103J	CHIP R	10K J 1/16W	0
R655			RK73GB1J223J	CHIP R	22K J 1/16W	0
R656			RK73GB1J102J	CHIP R	1.0K J 1/16W	0
R657			RK73GB1J103J	CHIP R	10K J 1/16W	0
R658			RK73GB1J102J	CHIP R	1.0K J 1/16W	0
R660			RD14NB2E561J	RD	560 J 1/4W	0
R661			RK73GB1J102J	CHIP R	1.0K J 1/16W	0
R662,663		*	R92-4558-05	METAL GLAZE	47 J 1/4W	
R701,702			RK73GB1J473J	CHIP R	47K J 1/16W	
R703,704			RK73GB1J103J	CHIP R	10K J 1/16W	
R705,706			RK73GB1J472J	CHIP R	4.7K J 1/16W	
R707,708			RK73GB1J474J	CHIP R	470K J 1/16W	
R709,710			RK73GB1J473J	CHIP R	47K J 1/16W	
R711,712			RK73GB1J221J	CHIP R	220 J 1/16W	0
R713,714			RK73GB1J102J	CHIP R	1.0K J 1/16W	0
R715,716			RK73GB1J103J	CHIP R	10K J 1/16W	
R801,802			RK73GB1J473J	CHIP R	47K J 1/16W	
R803,804			RK73GB1J103J	CHIP R	10K J 1/16W	
R805,806			RK73GB1J472J	CHIP R	4.7K J 1/16W	
R807,808			RK73GB1J474J	CHIP R	470K J 1/16W	
R809,810			RK73GB1J473J	CHIP R	47K J 1/16W	0
R811,812			RK73GB1J221J	CHIP R	220 J 1/16W	0
R813,814			RK73GB1J102J	CHIP R	1.0K J 1/16W	0
R815,816			RK73GB1J473J	CHIP R	47K J 1/16W	0
R817,818			RK73GB1J103J	CHIP R	10K J 1/16W	0

L : Scandinavia K : USA P : Canada R : Mexico C : China I : Malaysia
Y : PX(Far East,Hawaii) T : England E : Europe G : Germany V : China(Shanghai)
Y : AAFES(Europe) X : Australia Q : Russia H : Korea M : Other Areas ⚠ indicates safety critical components .

* New Parts
Parts without **Parts No.** are not supplied.
Les articles non mentionnés dans le **Parts No.** ne sont pas fournis.
Teile ohne **Parts No.** werden nicht geliefert.

14

Ref. No	Add-ress	New Parts	Parts No.	Description	Desti-nation	Re-marks
R901,902			RK73GB1J473J	CHIP R	47K J 1/16W	
R903,904			RK73GB1J103J	CHIP R	10K J 1/16W	
R905			RK73GB1J472J	CHIP R	4.7K J 1/16W	
R906			RK73GB1J911J	CHIP R	910 J 1/16W	
R907			RK73GB1J474J	CHIP R	470K J 1/16W	
R908			RK73GB1J103J	CHIP R	10K J 1/16W	
R909,910			RK73GB1J473J	CHIP R	47K J 1/16W	
R911,912			RK73GB1J221J	CHIP R	220 J 1/16W	0
R913,914			RK73GB1J102J	CHIP R	1.0K J 1/16W	0
R915,916			RK73GB1J103J	CHIP R	10K J 1/16W	0
D1			DAN202U	DIODE		
D1			MA142WK	DIODE		
D1			1SS301	DIODE		
D2			DAP202U	DIODE		
D2			MA142WA	DIODE		
D2			1SS300	DIODE		
D3			DAN202U	DIODE		
D3			MA142WK	DIODE		
D3			1SS301	DIODE		
D6			MA111	DIODE		
⚠ D41			D2SBA20F03	DIODE		
D42,43		*	HZU5.6(B2)	ZENER DIODE		
D42,43			UDZ5.6B	ZENER DIODE		
D44		*	HZU3.9(B2)	ZENER DIODE		
D44			UDZ3.9B	ZENER DIODE		
D45		*	HZU3.9(B2)	ZENER DIODE		0
D45			UDZ3.9B	ZENER DIODE		0
D46		*	HZU5.1(B2)	ZENER DIODE		
D46			UDZ5.1B	ZENER DIODE		
D47			MA111	DIODE		
D67		*	HZU5.1(B2)	ZENER DIODE		
D67			UDZ5.1B	ZENER DIODE		
D151,152		*	HZU7.5(B2)	ZENER DIODE		
D151,152			UDZ7.5B	ZENER DIODE		
IC1			NJM4565M	ANALOGUE IC		
IC1			NJM4565MD	IC(OP AMP X2)		
IC2		*	AK4527B-VQ	MOS-IC		
IC4			TC7WU04FU	MOS-IC		
IC5		*	AK4112AVF	MOS-IC		
IC6			TC7WH123FU	MOS-IC		
IC11			NJM4565M	ANALOGUE IC		
IC11			NJM4565MD	IC(OP AMP X2)		
IC12			NJU7311AM	MOS-IC		
IC13			NJM4565M	ANALOGUE IC		
IC13			NJM4565MD	IC(OP AMP X2)		
IC14			NJU7311AM	MOS-IC		16790
IC15			M62446FP	ANALOGUE IC		
IC21			NJM4565M	ANALOGUE IC		
IC21			NJM4565MD	IC(OP AMP X2)		
IC31			NJM4565M	ANALOGUE IC		
IC31			NJM4565MD	IC(OP AMP X2)		
IC41			TC74HC07AF	MOS-IC		
IC42			TC74HCT7007AF	MOS-IC		
IC45			BA05T	ANALOGUE IC		
⚠ IC46			BA033LBSG	ANALOGUE IC		

L : Scandinavia K : USA P : Canada R : Mexico C : China I : Malaysia
Y : PX(Far East,Hawaii) T : England E : Europe G : Germany V : China(Shanghai)
Y : AAFES(Europe) X : Australia Q : Russia H : Korea M : Other Areas ⚠ indicates safety critical components .

PARTS LIST

* New Parts

Parts without **Parts No.** are not supplied.

Les articles non mentionnés dans le **Parts No.** ne sont pas fournis.

Teile ohne **Parts No.** werden nicht geliefert.

15

Ref. No	Add-ress	New Parts	Parts No.	Description	Desti-nation	Re-marks
△ IC47 △ IC48 IC51 IC61 IC70		*	XC62EP2502MR XC62EP2502MR CS493263-CLR CS493302-CLR NJM4565M	ANALOGUE IC ANALOGUE IC MOS-IC MOS-IC ANALOGUE IC	0 0	
IC70 IC80 IC80 IC90 IC90			NJM4565MD NJM4565M NJM4565MD NJM4565M NJM4565MD	IC(OP AMP X2) ANALOGUE IC IC(OP AMP X2) ANALOGUE IC IC(OP AMP X2)		
Q1 Q1 △ Q15 △ Q16 Q41			DTC124EUA UN5212 2SD1664(Q,R) 2SB1132(Q,R) 2SC4081(R,S)	DIGITAL TRANSISTOR DIGITAL TRANSISTOR TRANSISTOR TRANSISTOR TRANSISTOR		
Q41 Q42 Q42 Q47 △ Q48			2SD1819A(Q,R) 2SA1576A(R,S) 2SB1218A(Q,R) 2SB1375 2SB1375	TRANSISTOR TRANSISTOR TRANSISTOR TRANSISTOR TRANSISTOR	0	
Q49 ,50 Q49 ,50 Q65 Q65 Q66			DTC124EUA UN5212 DTA124EUA UN5112 DTA124EUA	DIGITAL TRANSISTOR DIGITAL TRANSISTOR DIGITAL TRANSISTOR DIGITAL TRANSISTOR DIGITAL TRANSISTOR	0 0	
Q66 Q71 ,72 Q73 ,74 Q81 ,82 Q83 ,84			UN5112 2SC4213(B) 2SC4213(B) 2SC4213(B) 2SC4213(B)	DIGITAL TRANSISTOR TRANSISTOR TRANSISTOR TRANSISTOR TRANSISTOR	0 0 0 0	
Q91 ,92 Q93 ,94			2SC4213(B) 2SC4213(B)	TRANSISTOR TRANSISTOR	0	
A1 A2 A3		*	W02-2802-05 W02-2802-05 W02-2803-05	OPTIC RECEIVING MODULE OPTIC RECEIVING MODULE OSCILLATING MODULE	790 90	
DISPLAY (X14-7250-10,X14-7260-10)						
D1 -4 D5 ,6			B30-2545-05 B30-2545-05	LED(RED3(160)) LED(RED3(160))	790	
C1 C10 -12 C13 ,14 C15 ,16 C17 -21			CE04RW0J470M CK45FF1H103Z CK73GB1H103K CK45FF1H103Z CC45FSL1H101J	ELECTRO CERAMIC CHIP C CERAMIC CERAMIC	47UF 0.010UF 0.010UF 0.010UF 100PF	6.3WV Z K Z J 790 16790
C22 ,23 C24 C26 C27 C28			CQ93FMG1H471J CE04HW1H100M CC45FSL1H101J CE04RW1A101M CE04KW1V470M	MYLAR NP-ELEC CERAMIC ELECTRO ELECTRO	470PF 10UF 100PF 100UF 47UF	J 50WV J 10WV 35WV
C29 C30 C31 ,32 C100-105 C115			CE04RW1H330M CQ93FMG1H471J CE04RW1H010M CC45FSL1H221J CK73GB1H103K	ELECTRO MYLAR ELECTRO CERAMIC CHIP C	33UF 470PF 1.0UF 220PF 0.010UF	50WV J 50WV J K 16790 0

L : Scandinavia K : USA P : Canada R : Mexico C : China I : Malaysia

Y : PX(Far East,Hawaii) T : England E : Europe G : Germany V : China(Shanghai)

Y : AAFES(Europe) X : Australia Q : Russia H : Korea M : Other Areas △ indicates safety critical components .

* New Parts

Parts without **Parts No.** are not supplied.

Les articles non mentionnés dans le **Parts No.** ne sont pas fournis.

Teile ohne **Parts No.** werden nicht geliefert.

15

Ref. No	Add-ress	New Parts	Parts No.	Description	Desti-nation	Re-marks
C201 C202 C203 C205,206 C207,208			CC45FSL1H221J CQ93FMG1H103J CE04PW1E470M CQ93FMG1H102J CK73GB1H102K	CERAMIC MYLAR ELECTRO MYLAR CHIP C	220PF 0.010UF 47UF 1000PF 1000PF	J J 25WV J K 0 16790
C209,210 C211 C212 C213 C214			CC45FSL1H470J CE04PW1E470M CC45FSL1H470J CE04PW1E470M CC45FSL1H470J	CERAMIC ELECTRO CERAMIC ELECTRO CERAMIC	47PF 47UF 47PF 47UF 47PF	J 25WV J 25WV J
C215 C216 C217 C218 C219			CE04PW1E470M CC45FSL1H470J CE04PW1E470M CC45FSL1H470J CC45FSL1H470J	ELECTRO CERAMIC ELECTRO CERAMIC CERAMIC	47UF 47PF 47UF 47PF 47PF	25WV 790 25WV J J 790 0
C229,230 C243,244 C245 C246 C247,248			CE04PW1H100M CC73GCH1H101J CK73GB1H103K CC45FSL1H221J CQ93FMG1H103J	ELECTRO CHIP C CHIP C CERAMIC MYLAR	10UF 100PF 0.010UF 220PF 0.010UF	50WV J K J J
C249,250 C258 C259 C260 C262			CK73GB1H103K CK73GB1H103K CE04PW1A101M CE04EW0J102M CE04PW1H010M	CHIP C CHIP C ELECTRO ELECTRO ELECTRO	0.010UF 0.010UF 100UF 1000UF 1UF	K K 10WV 6.3WV 50WV
C263-265 C284 C401-408 C409-412 C413,414			CK73GB1H103K CQ93FMG1H103J CC73GCH1H470J CC73GCH1H470J CK73GB1H103K	CHIP C MYLAR CHIP C CHIP C CHIP C	0.010UF 0.010UF 47PF 47PF 0.010UF	K J J J K 167 7 167
C415 C416 C417 C418,419 C420,421			CK73GB1H103K CK45FF1H103Z CK73GB1H103K CE04KW1E470M CE04KW1E470M	CHIP C CERAMIC CHIP C ELECTRO ELECTRO	0.010UF 0.010UF 0.010UF 47UF 47UF	K Z K 25WV 25WV 7 167 167 7
C422 C424,425 C501 C503-505 C510-515			CE04KW1E470M CE04KW1V100M CC45FSL1H101J CC45FSL1H101J CC45FSL1H101J	ELECTRO ELECTRO CERAMIC CERAMIC CERAMIC	47UF 10UF 100PF 100PF 100PF	25WV 35WV J J J 167 167 16790
C518 C539-542			CC73GCH1H101J CE04PW1H100M	CHIP C ELECTRO	100PF 10UF	J 50WV
CN1 CN2 CN3 CN100 CN101			E40-8504-05 E40-3247-05 E40-8477-05 E40-9825-05 E40-8429-05	FLAT CABLE CONNECTOR PIN ASSY FLAT CABLE CONNECTOR SOCKET FOR PIN ASSY SOCKET FOR PIN ASSY		16790 0
CN201 CN202 CN203 CN204 CN205			E40-8483-05 E40-8488-05 E40-8483-05 E40-8504-05 E40-9833-05	FLAT CABLE CONNECTOR FLAT CABLE CONNECTOR FLAT CABLE CONNECTOR FLAT CABLE CONNECTOR SOCKET FOR PIN ASSY		16790
CN206 CN401			E40-4721-05 E40-8483-05	FLAT CABLE CONNECTOR FLAT CABLE CONNECTOR		16790 167

L : Scandinavia K : USA P : Canada R : Mexico C : China I : Malaysia

Y : PX(Far East,Hawaii) T : England E : Europe G : Germany V : China(Shanghai)

Y : AAFES(Europe) X : Australia Q : Russia H : Korea M : Other Areas △ indicates safety critical components .

PARTS LIST

VR-505/506/507/509/510/517

* New Parts
Parts without **Parts No.** are not supplied.
Les articles non mentionnés dans le **Parts No.** ne sont pas fournis.
Teile ohne **Parts No.** werden nicht geliefert.

17

Ref. No	Add-ress	New Parts	Parts No.	Description	Desti-nation	Re-marks
J1 J2 J3 J100 J200		* *	E11-0272-05 E63-1172-05 E56-0033-05 E63-1139-05 E11-0293-05	PHONE JACK PIN JACK CYLINDRICAL RECEPTACLE PIN JACK MINIATURE PHONE JACK(2P)	16790 16790 0	
J201 J202 J203 J204 J401,402			E63-0127-05 E63-0130-05 E63-0069-05 E63-0130-05 E56-0011-05	PIN JACK PIN JACK PIN JACK PIN JACK CYLINDRICAL RECEPTACLE	790 0 156 156 7	
J403,404			E56-0023-05	CYLINDRICAL RECEPTACLE	16	
E1 E4			J11-0808-05 J11-0808-05	WIRE CLAMPER WIRE CLAMPER	670	
L1 X200			L92-0017-05 L78-0725-05	FERRITE CORE RESONATOR (8.38MHZ)	16790	
CP200 CP201,202 CP203 CP205 CP206			R90-0802-05 R90-0500-05 R90-0855-05 R90-0802-05 R90-0482-05	MULTI-COMP 100KX10 J 1/4W MULTI-COMP 100KX6 J 1/4W MULTI-COMP 100KX5 J MULTI-COMP 100KX10 J 1/4W MULTI-COMP 100KX4 J 1/6W		
Δ R2 R66 R231 R232 R233			RK73GB1J563J RD14NB2E2R2J RK73GB1J101J RK73GB1J103J RK73GB1J101J	CHIP R 56K J 1/16W RD 2.2 J 1/4W CHIP R 100 J 1/16W CHIP R 10K J 1/16W CHIP R 100 J 1/16W		
R239 R240-242 R243-247 R251-255 R256			RK73GB1J221J RK73GB1J101J RK73GB1J221J RK73GB1J101J RK73GB1J104J	CHIP R 220 J 1/16W CHIP R 100 J 1/16W CHIP R 220 J 1/16W CHIP R 100 J 1/16W CHIP R 100K J 1/16W		
R262,263 R264 R265 R266 R267,268			RK73GB1J102J RK73GB1J103J RK73GB1J102J RK73GB1J104J RK73GB1J103J	CHIP R 1.0K J 1/16W CHIP R 10K J 1/16W CHIP R 1.0K J 1/16W CHIP R 100K J 1/16W CHIP R 10K J 1/16W		
R269 R288 R297-299 R304,305 R310-312			RK73GB1J102J RK73GB1J101J RK73GB1J221J RK73GB1J101J RK73GB1J104J	CHIP R 1.0K J 1/16W CHIP R 100 J 1/16W CHIP R 220 J 1/16W CHIP R 100 J 1/16W CHIP R 100K J 1/16W		
R315,316 R401,402 R403,404 R405,406 R407,408			RK73GB1J104J RK73GB1J104J RK73GB1J820J RK73GB1J104J RK73GB1J104J	CHIP R 100K J 1/16W CHIP R 100K J 1/16W CHIP R 82 J 1/16W CHIP R 100K J 1/16W CHIP R 100K J 1/16W	167 167 167 167 167	
R409-412 R413 R415,416 R421,422 R423			RK73GB1J820J RK73GB1J680J RK73GB1J680J RK73GB1J1R0J RK73GB1J1R0J	CHIP R 82 J 1/16W CHIP R 68 J 1/16W CHIP R 68 J 1/16W CHIP R 1 J 1/16W CHIP R 1 J 1/16W	7 167 167 16 7	
R424,425			RK73GB1J1R0J	CHIP R 1 J 1/16W	16	
S1 -13			S70-0031-05	TACT SWITCH		

L: Scandinavia K: USA P: Canada R: Mexico C: China I: Malaysia
Y: PX(Far East,Hawaii) T: England E: Europe G: Germany V: China(Shanghai)
Y: AAFES(Europe) X: Australia Q: Russia H: Korea M: Other Areas Δ indicates safety critical components .

* New Parts
Parts without **Parts No.** are not supplied.
Les articles non mentionnés dans le **Parts No.** ne sont pas fournis.
Teile ohne **Parts No.** werden nicht geliefert.

18

Ref. No	Add-ress	New Parts	Parts No.	Description	Desti-nation	Re-marks
S1 -13 S17 ,18 S17 ,18			S70-0086-05 S70-0031-05 S70-0086-05	TACT SWITCH TACT SWITCH TACT SWITCH	156 156	
S14 S15 S16			T99-0630-05 T99-0602-05 T99-0630-05	ROTARY ENCODER ROTARY ENCODER ROTARY ENCODER	790	
D7 D7 D7 D9 -11 D9 -11			HZS6.2N(B2) MTZJ6.2(B) RD6.2ES(B) HSS104A 1SS133	ZENER DIODE ZENER DIODE ZENER DIODE DIODE DIODE		
D12 -15 D12 -15 D200-207 D200-207 D209,210			HSS104A 1SS133 HSS104A 1SS133 HZS5.6N(B2)	DIODE DIODE DIODE DIODE ZENER DIODE	16790 16790	
Δ D209,210 D209,210 D212,213 D214-216 D214-216			MTZJ5.6(B) RD5.6ES(B) RB721Q HSS104A 1SS133	ZENER DIODE ZENER DIODE DIODE DIODE DIODE		
D220,221 D220,221 D401 D401 ED2			HSS104A 1SS133 HSS104A 1SS133 * HNA-11MS24	DIODE DIODE DIODE DIODE FLUORESCENT INDICATOR TUBE	0 0 167 167	
ED2 IC1 IC200 IC200 IC200			* 11-MT-125GK UPD16311 * MN101C49GLE * MN101C49HLD * MN101C49HLF	FLUORESCENT INDICATOR TUBE MOS-IC MI-COM IC MI-COM IC MI-COM IC	156 0 79	
IC201 IC202 IC202 IC202 IC204 Δ IC207			NJM2279D NJU4052BD TC74HC4052AP S-80840ANY XC62FP5102P	ANALOGUE IC IC(4CH MPX/DE-MPX) IC(ANALOG MULTIPLEXER) ANALOGUE IC ANALOGUE IC	16790 16790	
IC401,402 IC403 Q1 Q1 Q100-105			NJM2279M TC74HC4052AF KTC3199(Y,GR) 2SC1740S(Q,R) 2SC2878(B)	ANALOGUE IC ANALOGUE IC TRANSISTOR TRANSISTOR TRANSISTOR	167 7 0	
Q200,201 Q200,201 Q202 Δ Q202 Δ Q202 Δ Q203			KTC3199(Y,GR) 2SC1740S(Q,R) KTA1273 2SA1534A(R,S) 2SC3940A(R,S)	TRANSISTOR TRANSISTOR TRANSISTOR TRANSISTOR TRANSISTOR	0 0	
Δ Q203 Q204 Q204 Q205 Q205			* 2SD1768S KTC3199(Y,GR) 2SC1740S(Q,R) KTA1267(Y,GR) 2SA933AS(Q,R)	TRANSISTOR TRANSISTOR TRANSISTOR TRANSISTOR TRANSISTOR		
Q401 Q401			DTC124ESA UN4212	TRANSISTOR TRANSISTOR	16 16	

L: Scandinavia K: USA P: Canada R: Mexico C: China I: Malaysia
Y: PX(Far East,Hawaii) T: England E: Europe G: Germany V: China(Shanghai)
Y: AAFES(Europe) X: Australia Q: Russia H: Korea M: Other Areas Δ indicates safety critical components .

PARTS LIST

* New Parts
Parts without **Parts No.** are not supplied.
Les articles non mentionnés dans le **Parts No.** ne sont pas fournis.
Teile ohne **Parts No.** werden nicht geliefert.

19

Ref. No	Add-ress	New Parts	Parts No.	Description	Desti-nation	Re-marks
A2			W02-2625-05	OPTIC RECEIVING MODULE		
VIDEO (X35-2250-11)						
C1 -12 C13 -17 C18 -21 C22 C31			CC45FSL1H470J CK45FF1H103Z CE04PW1C470M CE04PW1E470M CK45FF1H103Z	CERAMIC 47PF J CERAMIC 0.010UF Z ELECTRO 47UF 16WV ELECTRO 47UF 25WV CERAMIC 0.010UF Z		
C32 ,33 C53 ,54 C101 C102 C103			CE04LW1V100M CE04LW1V100M CC45FSL1H470J CE04PW1E470M CC45FSL1H470J	ELECTRO 10UF 35WV ELECTRO 10UF 35WV CERAMIC 47PF J ELECTRO 47UF 25WV CERAMIC 47PF J		
C104 C105 C106 C107 C108			CE04PW1E470M CC45FSL1H470J CE04PW1E470M CC45FSL1H470J CE04PW1E470M	ELECTRO 47UF 25WV CERAMIC 47PF J ELECTRO 47UF 25WV CERAMIC 47PF J ELECTRO 47UF 25WV		
C109 C110 C111 C112 C121-123			CC45FSL1H470J CE04PW1E470M CC45FSL1H470J CE04PW1E470M CC45FSL1H470J	CERAMIC 47PF J ELECTRO 47UF 25WV CERAMIC 47PF J ELECTRO 47UF 25WV CERAMIC 47PF J		
C131-133 C141,142 C143 C201 C202			CK45FF1H103Z CE04LW1V100M CK45FF1H103Z CC45FSL1H121J CC45FSL1H470J	CERAMIC 0.010UF Z ELECTRO 10UF 35WV CERAMIC 0.010UF Z CERAMIC 120PF J CERAMIC 47PF J		
C203 C211,212 C213 C231 C232,233			CQ93FMG1H823J CC45FSL1H101J CK45FF1H103Z CE04LW1V100M CK45FF1H103Z	MYLAR 0.082UF J CERAMIC 100PF J CERAMIC 0.010UF Z ELECTRO 10UF 35WV CERAMIC 0.010UF Z		
C234 C235 C236 C237 C238			CE04LW0J222M CE04LW0J331M CK45FF1H103Z CC45FSL1H101J CK45FF1H103Z	ELECTRO 2200UF 6.3WV ELECTRO 330UF 6.3WV CERAMIC 0.010UF Z CERAMIC 100PF J CERAMIC 0.010UF Z	0 0	
C239			CE04LW0J221M	ELECTRO 220UF 6.3WV		
CN1 CN2 J1 ,2 J11 J11			E40-8483-05 E40-8531-05 E56-0011-05 E63-1193-05 E63-1195-05	FLAT CABLE CONNECTOR FLAT CABLE CONNECTOR CYLINDRICAL RECEPTACLE PIN JACK PIN JACK		
J11 J12 J12 J12 J21		*	E63-1197-05 E63-1194-05 E63-1196-05 E63-1198-05 E11-0389-05	PIN JACK PIN JACK PIN JACK PIN JACK MINIATURE PHONE JACK(3.5 STERE	0	
J22			E11-0291-05	MINIATURE PHONE JACK(2P)		
E1			J11-0809-05	WIRE CLAMPER		
L1			L40-1011-58	SMALL FIXED INDUCTOR(100UH,K)		

L : Scandinavia K : USA P : Canada R : Mexico C : China I : Malaysia
Y : PX(Far East,Hawaii) T : England E : Europe G : Germany V : China(Shanghai)
Y : AAFES(Europe) X : Australia Q : Russia H : Korea M : Other Areas Δ indicates safety critical components .

* New Parts
Parts without **Parts No.** are not supplied.
Les articles non mentionnés dans le **Parts No.** ne sont pas fournis.
Teile ohne **Parts No.** werden nicht geliefert.

20

Ref. No	Add-ress	New Parts	Parts No.	Description	Desti-nation	Re-marks
R31 ,32 R51 ,52 R141,142 R212,213 R215			RD14NB2E4R7J RS14KB3D220J RD14NB2E4R7J RD14NB2E471J RD14NB2E471J	RD 4.7 J 1/4W FL-PROOF RS 22 J 2W RD 4.7 J 1/4W RD 470 J 1/4W RD 470 J 1/4W	0	
D51 ,52 D51 ,52 D51 ,52 D51 ,52 D51 ,52			HZS5.6N(B2) MTZJ5.6 MTZJ5.6(B) RD5.6ES(B) RD5.6ES(B2)	ZENER DIODE ZENER DIODE ZENER DIODE ZENER DIODE ZENER DIODE		
D101-103 D101-103 D101-103 D201,202 D201,202			HSS104 HSS104A 1SS133 HSS104 HSS104A	DIODE DIODE DIODE DIODE DIODE		
D201,202 D223,224 D223,224 D223,224 IC1 ,2			1SS133 HSS104 HSS104A 1SS133 NJM2279D	DIODE DIODE DIODE DIODE ANALOGUE IC	0 0 0	
IC3 IC3 IC11-13 IC21 IC22			NJU4052BD TC74HC4052AP NJM2279D BA05T TC74HC00AP	IC(4CH MPX/DE-MPX) IC(ANALOG MULTIPLEXER) ANALOGUE IC ANALOGUE IC IC(2INPUT NAND GATE)	0	
Q51 Q52 Q101 Q101 Q201			2SD2525 2SB1640 DTC124ESA UN4212 KTC3199(Y,GR)	TRANSISTOR TRANSISTOR DIGITAL TRANSISTOR DIGITAL TRANSISTOR TRANSISTOR		
Q201 Q201 Q202 Q202 Q203			2SC1740S(Q,R) 2SC2785(F,E) DTC124ESA UN4212 KTC3199(Y,GR)	TRANSISTOR TRANSISTOR DIGITAL TRANSISTOR DIGITAL TRANSISTOR TRANSISTOR		
Q203 Q203 Q204 Q204 Q204			2SC1740S(Q,R) 2SC2785(F,E) KTA1267(Y,GR) 2SA1175(F,E) 2SA933AS(Q,R)	TRANSISTOR TRANSISTOR TRANSISTOR TRANSISTOR TRANSISTOR		

L : Scandinavia K : USA P : Canada R : Mexico C : China I : Malaysia
Y : PX(Far East,Hawaii) T : England E : Europe G : Germany V : China(Shanghai)
Y : AAFES(Europe) X : Australia Q : Russia H : Korea M : Other Areas Δ indicates safety critical components .

HOW TO READ THE PARTS LIST

ABBREVIATION OF MODEL AND MASS PRODUCTION'S DESTINATIONS

COUNTRY ORIGIN	MODEL	ABB.	Canada		USA							
			P	K	P	K						
MALAYSIA	VR-505	5	P5	K5	-	-	X07-3310-10	X08-3060-10	X14-7250-10	-	-	-
	VR-506	6	P6	K6	-	-	X07-3310-11	X08-3060-11	X14-7250-11	-	-	-
	VR-517	1	P1	K1	-	-	X07-3330-10	X08-3060-11	X14-7250-12	-	-	-
	VR-507	7	P7	K7	-	-	X07-3300-10	X08-3060-12	X14-7260-10	X35-2250-10	-	-
	VR-509	9	P9	K9	X05-5150-11	X07-3290-11	X08-3060-13	X14-7260-11	X35-2250-11	-	-	-
	VR-510	0	P0	K0	X05-5150-11	X07-3290-10	X08-3060-14	X14-7260-12	X35-2250-12	-	-	-
INDONESIA	VR-505	5	P5	K5	-	-	X07-3380-13	X08-3070-10	X14-7310-10	-	-	-
	VR-506	6	P6	K6	-	-	X07-3380-12	X08-3070-11	X14-7310-11	-	-	-
	VR-517	1	P1	K1	-	-	X07-3380-14	X08-3070-11	X14-7310-14	-	-	-
	VR-507	7	P7	K7	-	-	X07-3380-11	X08-3070-02	X14-7310-12	-	-	-
	VR-509	9	P9	K9	X05-5520-10	X07-3380-10	X08-3070-13	X14-7310-13	X35-2270-11	-	-	-
	VR-510	0	P0	K0	-	-	-	-	-	-	-	-

PARTS LIST


VR-505/506/507/509/510/517

PARTS DESCRIPTIONS

CAPACITORS


CC 45 TH 1H 220 J
1 2 3 4 5 6

- 1 = Type ... ceramic, electrolytic, etc. 4 = Voltage rating
2 = Shape ... round, square, ect. 5 = Value
3 = Temp. coefficient 6 = Tolerance



Capacitor value

- 010 = 1pF
100 = 10pF
101 = 100pF
102 = 1000pF = 0.001μF
103 = 0.01μF



Temperature coefficient

1st Word	C	L	P	R	S	T	U
Color*	Black	Red	Orange	Yellow	Green	Blue	Violet
ppm/°C	0	-80	-150	-220	-330	-470	-750

2nd Word	G	H	J	K	L
ppm/°C	±30	±60	±120	±250	±500

Example : CC45TH = -470 ± 60ppm/°C

Tolerance (More than 10pF)

Code	C	D	G	J	K	M	X	Z	P	No code
(%)	±0.25	±0.5	±2	±5	±10	±20	+40 -20	+80 -20	+100 -0	More than 10μF -10 ~ +50 Less than 4.7μF -10 ~ +75

(Less than 10pF)

Code	B	C	D	F	G
(pF)	±0.1	±0.25	±0.5	±1	±2

Voltage rating

2nd word 1st word	A	B	C	D	E	F	G	H	J	K	V
0	1.0	1.25	1.6	2.0	2.5	3.15	4.0	5.0	6.3	8.0	-
1	10	12.5	16	20	25	31.5	40	50	63	80	35
2	100	125	160	200	250	315	400	500	630	800	-
3	1000	1250	1600	2000	2500	3150	4000	5000	6300	8000	-

Chip capacitors

- (EX) C C 7 3 F S L 1 H 0 0 0 J
1 2 3 4 5 6 7
(Chip) (CH, RH, UJ, SL)
- (EX) C K 7 3 F F 1 H 0 0 0 Z
1 2 3 4 5 6 7
(Chip) (B, F)
- Refer to the table above.
- 1 = Type
2 = Shape
3 = Dimension
4 = Temp. coefficient
5 = Voltage rating
6 = Value
7 = Tolerance

Dimension (Chip capacitors)

Dimension code	L	W	T
Empty	5.6 ± 0.5	5.0 ± 0.5	Less than 2.0
A	4.5 ± 0.5	3.2 ± 0.4	Less than 2.0
B	4.5 ± 0.5	2.0 ± 0.3	Less than 2.0
C	4.5 ± 0.5	1.25 ± 0.2	Less than 1.25
D	3.2 ± 0.4	2.5 ± 0.3	Less than 1.5
E	3.2 ± 0.2	1.6 ± 0.2	Less than 1.25
F	2.0 ± 0.3	1.25 ± 0.2	Less than 1.25
G	1.6 ± 0.2	0.8 ± 0.2	Less than 1.0

RESISTORS

Chip resistor (Carbon)


- (EX) R K 7 3 E B 2 B 0 0 0 J
1 2 3 4 5 6 7
(Chip) (B, F)

Carbon resistor (Normal type)

- (EX) R D 1 4 B B 2 C 0 0 0 J
1 2 3 4 5 6 7

- 1 = Type
2 = Shape
3 = Dimension
4 = Temp. coefficient
5 = Rating wattage
6 = Value
7 = Tolerance

Dimension



Dimension (Chip resistor)

Dimension code	L	W	T
E	3.2 ± 0.2	1.6 ± 0.2	1.0
F	2.0 ± 0.3	1.25 ± 0.2	1.0
G	1.6 ± 0.2	0.8 ± 0.2	0.5 ± 0.1

Rating wattage

Code	Wattage	Code	Wattage	Code	Wattage
1J	1/16W	2C	1/6W	3A	1W
2A	1/10W	2E	1/4W	3D	2W
2B	1/8W	2H	1/2W		

VR-505/506/507/509/510/517

SPECIFICATIONS

For U.S.A and Canada

AUDIO section (VR-506)

Rated power output during STEREO operation

100 watts per channel minimum RMS, both channels driven, at 8 Ω from 40Hz to 20 kHz with no more than 0.7% total harmonic distortion. (FTC)

Effective power output during SURROUND operation

FRONT (40-20kHz, 0.7% T.H.D. at 8 Ω one channel driven)	100 W + 100 W
CENTER (40-20kHz, 0.7% T.H.D. at 8 Ω one channel driven)	100 W
SURROUND (40-20kHz, 0.7% T.H.D. at 8 Ω one channel driven)	100 W + 100 W
Total harmonic distortion	0.050% (1 kHz, 50W, 8 Ω)
Frequency response	
CD	10 Hz ~ 60 kHz, +0 dB, -3.0 dB
Signal to noise ratio (IHF'66)	
PHONO (MM)	74 dB
CD	90 dB
Input sensitivity / impedance	
PHONO (MM)	2.5 mV / 27 k Ω
CD	200 mV / 47 k Ω
MONITOR IN (VIDEO2/MONITOR)	200 mV / 47 k Ω
DVD/6ch INPUT	200 mV / 47 k Ω
Output level / impedance	
TAPE REC	200 mV / 1 k Ω
MONITOR OUT (VIDEO2/MONITOR)	200 mV / 1 k Ω
PRE OUT (SUBWOOFER)	1.5 V / 2.2 k Ω
Tone control	
BASS	± 10 dB (at 70 Hz)
TREBLE	± 10 dB (at 10 kHz)

AUDIO section (VR-505/517)

Rated power output during STEREO operation

100 watts per channel minimum RMS, both channels driven, at 8 Ω from 40 Hz to 20 kHz with no more than 0.7% total harmonic distortion. (FTC)

Effective power output during SURROUND operation

FRONT (40-20kHz, 0.7% T.H.D. at 8 Ω one channel driven)	100 W + 100 W
CENTER (40-20kHz, 0.7% T.H.D. at 8 Ω one channel driven)	100 W
SURROUND (40-20kHz, 0.7% T.H.D. at 8 Ω one channel driven)	100 W + 100 W
SUBWOOFER (50Hz, 0.7% T.H.D. at 8 Ω one channel driven)	100 W
(VR-517)	100 W
Total harmonic distortion	0.050% (1 kHz, 50W, 8 Ω)
Frequency response	
CD	10 Hz ~ 60 kHz, +0 dB, -3.0 dB
Signal to noise ratio (IHF'66)	
CD	90 dB
Input sensitivity / impedance	
CD	200 mV / 47 k Ω
MONITOR IN (VIDEO2/MONITOR)	200 mV / 47 k Ω
DVD/6ch INPUT (VR-517)	200 mV / 47 k Ω
Output level / impedance	
TAPE REC	200 mV / 1 k Ω
MONITOR OUT (VIDEO2/MONITOR)	200 mV / 1 k Ω
PRE OUT (SUBWOOFER) (VR-505)	1.5 V / 2.2 k Ω
Tone control	
BASS	± 10 dB (at 70 Hz)
TREBLE	± 10 dB (at 10 kHz)

DIGITAL AUDIO section

Sampling frequency	32 kHz, 44.1 kHz, 48 kHz, 96kHz
Input level / impedance / wave length	
Optical	(-15 dBm ~ -21 dBm), 660 nm ± 30 nm
Coaxial	0.5 Vp-p / 75 Ω

VIDEO section

VIDEO inputs / outputs	
VIDEO (composite)	1 Vp-p / 75 Ω
S VIDEO inputs / outputs (VR-506/517)	
S VIDEO (luminance signal)	1 Vp-p / 75 Ω
S VIDEO (chrominance signal)	0.286 Vp-p / 75 Ω

FM tuner section

Tuning frequency range	87.5 MHz ~ 108 MHz
Usable sensitivity (MONO)	
	1.3 μ V (75 Ω) / 13.2 dBf (75 kHz DEV., SINAD 30 dB)
50dB quieting sensitivity	
STEREO	28 μ V (75 Ω) / 40.2 dBf
Total harmonic distortion (1 kHz)	
MONO	0.5% (71.2 dBf input)
STEREO	0.7% (71.2 dBf input)
Signal to noise ratio (1 kHz, 75 kHz DEV.)	
MONO	75 dB (71.2 dBf input)
STEREO	68 dB (71.2 dBf input)
Stereo separation (1 kHz)	40 dB
Selectivity (± 400 kHz)	70 dB
Frequency response	(30 Hz ~ 15kHz), +0.5 dB, -3.0 dB

AM tuner section

Tuning frequency range	
10 kHz step	530 kHz ~ 1,700 kHz
Usable sensitivity (30% mod., S/N 20 dB)	16 μ V / (600 μ V/m)
Signal to noise ratio (30% mod. 1 mV input)	50 dB

GENERAL

Power consumption	2.6 A
AC outlet	
SWITCHED	(total 150 W, 1.25 A max.)
Dimensions	W : 440 mm (17-5/16")
	H : 143 mm (5-11/16")
	D : 400 mm (15-3/8")
Weight (Net)	
VR-506/517	8.8 kg (18.92 lb)
VR-505	8.7 kg (18.89 lb)

Notes

1. KENWOOD follows a policy of continuous advancements in development. For this reason specifications may be changed without notice.
2. The full performance may not be exhibited in an extremely cold location (under a water-freezing temperature).

VR-505/506/507/509/510/517

SPECIFICATIONS

AUDIO section (VR-507/509/510)

Rated power output during STEREO operation

100 watts per channel minimum RMS, both channels driven, at 8 Ω from 20 Hz to 20 kHz with no more than 0.7% total harmonic distortion. (FTC)

Effective power output during SURROUND operation

FRONT (20-20kHz, 0.7% T.H.D. at 8 Ω one channel driven)

..... 100 W + 100 W

CENTER (20-20kHz, 0.7% T.H.D. at 8 Ω one channel driven)

..... 100 W

SURROUND (20-20kHz, 0.7% T.H.D. at 8 Ω one channel driven)

..... 100 W + 100 W

Total harmonic distortion 0.055% (1 kHz, 50W, 8 Ω)

Frequency response

CD 10 Hz ~ 53 kHz, +0 dB, -3.0 dB

Signal to noise ratio (IHF'66)

PHONO (MM) 75 dB

CD 91 dB

Input sensitivity / impedance

PHONO (MM) 2.5 mV / 27 k Ω

CD 200 mV / 47 k Ω

MONITOR IN 200 mV / 47 k Ω

DVD / 6ch / INPUT (VR-507)..... 200 mV / 47 k Ω

Output level / impedance

TAPE REC 200 mV / 1 k Ω

MONITOR OUT 200 mV / 1 k Ω

PRE OUT (SUBWOOFER) 2 V / 2.2 k Ω

Tone control

BASS ± 10 dB (at 100 Hz)

TREBLE ± 10 dB (at 10 kHz)

DIGITAL AUDIO section

Sampling frequency 32 kHz, 44.1 kHz, 48 kHz, 96 kHz

Input level / impedance / wave length

Optical (-15 dBm ~ -21 dBm), 660 nm ± 30 nm

Coaxial 0.5 Vp-p / 75 Ω

VIDEO section

VIDEO inputs / outputs

VIDEO (composite) 1 Vp-p / 75 Ω

S VIDEO (luminance signal) 1 Vp-p / 75 Ω

(chrominance signal) 0.286 Vp-p / 75 Ω

FM tuner section

Tuning frequency range 87.5 MHz ~ 108 MHz

Usable sensitivity (MONO)

..... 1.6 μ V (75 Ω) / 15.2 dBf (75 kHz DEV., SINAD 30 dB)

50dB quieting sensitivity

STEREO 31.6 μ V (75 Ω) / 41.2 dBf

Total harmonic distortion (1 kHz)

MONO 0.6% (65 dBf input)

STEREO 0.7% (65 dBf input)

Signal to noise ratio (1 kHz, 75 kHz DEV.)

MONO 75 dB (65 dBf input)

STEREO 68 dB (65 dBf input)

Stereo separation (1 kHz) 38 dB

Selectivity (± 400 kHz) 70 dB

Frequency response (30 Hz ~ 15kHz), +0.5 dB, -3.0 dB

AM tuner section

Tuning frequency range

10 kHz step 530 kHz ~ 1,700 kHz

Usable sensitivity (30% mod., S/N 20 dB) 16 μ V / (600 μ V/m)

Signal to noise ratio (30% mod. 1 mV input) 50 dB

GENERAL

Power consumption 2.6 A

AC outlet

SWITCHED (total 150 W, 1.25 A max.)

Dimensions W : 440 mm (17-5/16")

H : 143 mm (5-5/8")

D : 400 mm (15-3/4")

Weight (Net) (VR-509/510)..... 7.2 kg (15.8 lb)

(VR-507)..... 8.8 kg (19.2 lb)

Notes

1. KENWOOD follows a policy of continuous advancements in development. For this reason specifications may be changed without notice.
2. The full performance may not be exhibited in an extremely cold location (under a water-freezing temperature).

Note:

Component and circuit are subject to modification to insure best operation under differing local conditions. This manual is based on Europe (E) standard, and provides information on regional circuit modification through use of alternate schematic diagrams, and information on regional component variations through use of parts list.

KENWOOD CORPORATION

14-6, Dogenzaka 1-chome, Shibuya-ku, Tokyo, 150-8501 Japan

KENWOOD SERVICE CORPORATION

P.O. BOX 22745, 2201 East Dominguez St., Long Beach, CA 90801-5745, U.S.A.

KENWOOD ELECTRONICS CANADA INC.

6070 Kestrel Road, Mississauga, Ontario, Canada L5T 1S8

KENWOOD ELECTRONICS LATIN AMERICA S.A.

P.O. BOX 55-2791, Piso 6 plaza Chase, Cl. 47 y Aquilino de la Guardia Panama, Republic de Panama

KENWOOD ELECTRONICS BRASIL LTDA.

Av. Moema, 170-17", Andar-Cobertura "B", Ed. Maximum Service Center, 04077-020 Moema, São Paulo-SP-Brasil

KENWOOD ELECTRONICS U.K. LIMITED

KENWOOD House, Dwight Road, Watford, Herts., WD1 8EB., United Kingdom

KENWOOD ELECTRONICS BELGUM N.V.

Meachelsesteenweg 418, B-1930 Zaventem, Belgium

KENWOOD ELECTRONICS DEUTSCHLAND GMBH

Rembrücker Str. 15, 63150 Heusenstamm, Germany

KENWOOD ELECTRONICS FRANCE S.A.

13 Boulevard Ney, 75018 Paris, France

KENWOOD ELECTRONICS ITALIA S.p.A.

Via G. Sirtori, 7/9 20129, Milano, Italy

KENWOOD IBÉRICA S.A.

Bolivia, 239-08020 Barcelona, Spain

KENWOOD ELECTRONICS AUSTRALIA PTY. LTD.

(A.C.N. 001 499 074)

16 Giffnock Avenue, North Ryde, N.S.W. 2113, Australia

KENWOOD ELECTRONICS (HONG KONG) LTD.

Unit 3712-3724, Level 37, Tower 1, Metroplaza, 223 Hing Fong Road, Kwai Fong N.T., Hong Kong

KENWOOD ELECTRONICS GULF FZE

P.O. Box 61318, Jebel Ali, Dubai, U.A.E.

KENWOOD ELECTRONICS SINGAPORE PTE LTD.

No. 1 Genting Lane #02-02, KENWOOD Building, Singapore, 349544

KENWOOD ELECTRONICS (MALAYSIA) SDN BHD.

#4.01 Level 4, Wisma Academy Lot 4A, Jalan 19/1 46300 Petaling Jaya Selangor Darul Ehsan Malaysia

KENWOOD ELECTRONICS (THAILAND) CO., LTD.

2019 New Pechburi Road, Bangkok, Huaykwang, Bangkok, 10320 Thailand